

```
1 <%@ Page Language="C#" AutoEventWireup="true" CodeFile="AllBarcodes_Basic.aspx.cs"
2   Inherits="AllBarcodes_Basic" MaintainScrollPositionOnPostBack="true" %>
3
4 <%@ Register Assembly="ceTe.DynamicBarcode.Creator.40" Namespace="ceTe.DynamicBarcode.Creator.Web"
5   TagPrefix="ccl" %>
6 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
7 <html xmlns="http://www.w3.org/1999/xhtml">
8 <head id="Head1" runat="server">
9   <title>DynamicBarcode Creator Examples</title>
10  <link rel="stylesheet" type="text/css" href="Style/DynamicBarcodeCreator.css" />
11  <meta name="DESCRIPTION" content="All Barcode Example in C# using DynamicBarcode Creator v2.0 for .NET" />
12  <style type="text/css">
13    .style1
14    {
15      width: 101px;
16    }
17  </style>
18 </head>
19 <body>
20   <div id="banner">
21     
23     <div id="header">
24       <i>DynamicBarcode Creator </i> v2.0 for .NET Examples</div>
25     <h1>
26       All Barcodes Example
27     </h1>
28   </div>
29   <div id="content">
30     <form id="form1" runat="server">
31       <table border="0">
32         <tr class="head">
33           <td style="width: 25%; height: 20px">
34             Barcode Type
35           </td>
36           <td style="width: 25%; height: 20px">
37             Data
38           </td>
39           <td style="width: 50%; height: 20px">
40             Barcode Using Controls
41           </td>
42         </tr>
43         <tr class="head">
44           <td colspan="3" style="height: 15px;">
45             UPC/EAN/JAN Barcodes
46           </td>
47         </tr>
48         <tr>
49           <td>
```

```
50         EAN 13 Barcode
51     </td>
52     <td>
53         <asp:TextBox ID="txtEan13" runat="server" Text="123456789012"></asp:TextBox>
54         <asp:Button ID="btnUpdateEan13" runat="server" Text="Update" OnClick="btnUpdateEan13_Click" />
55     </td>
56     <td style="width: 193px">
57         <ccl:LinearBarcode ID="dynamicBarcodeEan13" runat="server" LinearBarcodeType="Ean13"
58             Dpi="96" BarcodeMargin="20,20,20,20" Text="123456789012" />
59     </td>
60 </tr>
61 <tr>
62     <td>
63         EAN 13, 2 Digit Supplement Barcode
64     </td>
65     <td>
66         <table class="propTable">
67             <tr>
68                 <td>
69                     Value :
70                 </td>
71                 <td>
72                     <asp:TextBox ID="txtEan13Sup2" runat="server" Text="123456789012"></asp:TextBox>
73                 </td>
74             </tr>
75             <tr>
76                 <td>
77                     Supplement :
78                 </td>
79                 <td>
80                     <asp:TextBox ID="txtEan13Sup2Sup" runat="server" Text="12"></asp:TextBox>
81                 </td>
82             </tr>
83             <tr>
84                 <td>
85                 </td>
86                 <td style="padding-left: 120px;">
87                     <asp:Button ID="btnUpdateEan132" runat="server" Text="Update" OnClick="btnUpdateEan132_Click" />
88                 </td>
89             </tr>
90         </table>
91     </td>
92     <td style="width: 193px">
93         <ccl:LinearBarcode ID="dynamicBarcodeEan132" runat="server" LinearBarcodeType="Ean13Supplement2"
94             Dpi="96" BarcodeMargin="20,20,20,20" Text="123456789012" SupplementValue="12" />
95     </td>
96 </tr>
97 <tr>
98     <td>
```

```
99         EAN 13, 5 Digit Supplement Barcode
100     </td>
101     <td>
102         <table class="propTable">
103             <tr>
104                 <td>
105                     Value :
106                 </td>
107                 <td>
108                     <asp:TextBox ID="txtEan13Sup5" runat="server" Text="123456789012"></asp:TextBox>
109                 </td>
110             </tr>
111             <tr>
112                 <td>
113                     Supplement :
114                 </td>
115                 <td>
116                     <asp:TextBox ID="txtEan13Sup5Sup" runat="server" Text="12345"></asp:TextBox>
117                 </td>
118             </tr>
119             <tr>
120                 <td>
121                 </td>
122                 <td style="padding-left: 120px;">
123                     <asp:Button ID="btnUpdateEan135" runat="server" Text="Update" OnClick="btnUpdateEan135_Click" />
124                 </td>
125             </tr>
126         </table>
127     </td>
128     <td style="width: 193px">
129         <ccl:LinearBarcode ID="dynamicBarcodeEan135" runat="server" LinearBarcodeType="Ean13Supplement5"
130             Dpi="96" BarcodeMargin="20,20,20,20" Text="123456789012" SupplementValue="12345" />
131     </td>
132 </tr>
133 <tr>
134     <td>
135         EAN 8 Barcode
136     </td>
137     <td>
138         <asp:TextBox ID="txtEan8" runat="server" Text="12345670"></asp:TextBox>
139         <asp:Button ID="btnUpdateEan8" runat="server" Text="Update" OnClick="btnUpdateEan8_Click" />
140     </td>
141     <td style="width: 193px">
142         <ccl:LinearBarcode ID="dynamicBarcodeEan8" runat="server" LinearBarcodeType="Ean8"
143             Dpi="96" BarcodeMargin="20,20,20,20" Text="12345670" />
144     </td>
145 </tr>
146 <tr>
147     <td>
```

```
148         EAN 8, 2 Digit Supplement Barcode
149     </td>
150     <td>
151         <table class="propTable">
152             <tr>
153                 <td>
154                     Value :
155                 </td>
156                 <td>
157                     <asp:TextBox ID="txtEan8Sup2" runat="server" Text="12345670"></asp:TextBox>
158                 </td>
159             </tr>
160             <tr>
161                 <td>
162                     Supplement :
163                 </td>
164                 <td>
165                     <asp:TextBox ID="txtEan8Sup2Sup" runat="server" Text="12"></asp:TextBox>
166                 </td>
167             </tr>
168             <tr>
169                 <td>
170                 </td>
171                 <td style="padding-left: 120px;">
172                     <asp:Button ID="btnUpdateEan82" runat="server" Text="Update" OnClick="btnUpdateEan82_Click" />
173                 </td>
174             </tr>
175         </table>
176     </td>
177     <td style="width: 193px">
178         <ccl:LinearBarcode ID="dynamicBarcodeEan82" runat="server" LinearBarcodeType="Ean8Supplement2"
179             Dpi="96" BarcodeMargin="20,20,20,20" Text="12345670" SupplementValue="12" />
180     </td>
181 </tr>
182 <tr>
183     <td>
184         EAN 8, 5 Digit Supplement Barcode
185     </td>
186     <td>
187         <table class="propTable">
188             <tr>
189                 <td>
190                     Value :
191                 </td>
192                 <td>
193                     <asp:TextBox ID="txtEan8Sup5" runat="server" Text="12345670"></asp:TextBox>
194                 </td>
195             </tr>
196             <tr>
```

```
197         <td>
198             Supplement :
199         </td>
200         <td>
201             <asp:TextBox ID="txtEan8Sup5Sup" runat="server" Text="12345"></asp:TextBox>
202         </td>
203     </tr>
204     <tr>
205         <td>
206         </td>
207         <td style="padding-left: 120px;">
208             <asp:Button ID="btnUpdateEan85" runat="server" Text="Update" OnClick="btnUpdateEan85_Click" />
209         </td>
210     </tr>
211 </table>
212 </td>
213 <td style="width: 193px">
214     <ccl:LinearBarcode ID="dynamicBarcodeEan85" runat="server" LinearBarcodeType="Ean8Supplement5"
215         Dpi="96" BarcodeMargin="20,20,20,20" Text="12345670" SupplementValue="12345" />
216 </td>
217 </tr>
218 <tr>
219     <td>
220         UPC Version A Barcode
221     </td>
222     <td>
223         <asp:TextBox ID="txtUpcA" runat="server" Text="12345678901"></asp:TextBox>
224         <asp:Button ID="btnUpdateUpcA" runat="server" Text="Update" OnClick="btnUpdateUpcA_Click" />
225     </td>
226     <td style="width: 193px">
227         <ccl:LinearBarcode ID="dynamicBarcodeUpcA" runat="server" LinearBarcodeType="UpcA"
228             Dpi="96" BarcodeMargin="20,20,20,20" Text="12345678901" />
229     </td>
230 </tr>
231 <tr>
232     <td>
233         UPC Version A, 2 Digit Supplement Barcode
234     </td>
235     <td>
236         <table class="propTable">
237             <tr>
238                 <td>
239                     Value :
240                 </td>
241                 <td>
242                     <asp:TextBox ID="txtUpcASup2" runat="server" Text="12345678901"></asp:TextBox>
243                 </td>
244             </tr>
245         </table>
246     </td>
```

```
246         <td>
247             Supplement :
248         </td>
249         <td>
250             <asp:TextBox ID="txtUpcASup2Sup" runat="server" Text="12"></asp:TextBox>
251         </td>
252     </tr>
253     <tr>
254         <td>
255         </td>
256         <td style="padding-left: 120px;">
257             <asp:Button ID="btnUpcA2" runat="server" Text="Update" OnClick="btnUpcA2_Click" />
258         </td>
259     </tr>
260 </table>
261 </td>
262 <td style="width: 193px">
263     <ccl:LinearBarcode ID="dynamicBarcodeUpcA2" runat="server" LinearBarcodeType="UpcASupplement2"
264         Dpi="96" BarcodeMargin="20,20,20,20" Text="12345678901" SupplementValue="12" />
265 </td>
266 </tr>
267 <tr>
268     <td>
269         UPC Version A, 5 Digit Supplement Barcode
270     </td>
271     <td>
272         <table class="propTable">
273             <tr>
274                 <td>
275                     Value :
276                 </td>
277                 <td>
278                     <asp:TextBox ID="txtUpcASup5" runat="server" Text="12345678901"></asp:TextBox>
279                 </td>
280             </tr>
281             <tr>
282                 <td>
283                     Supplement :
284                 </td>
285                 <td>
286                     <asp:TextBox ID="txtUpcASup5Sup" runat="server" Text="12345"></asp:TextBox>
287                 </td>
288             </tr>
289             <tr>
290                 <td>
291                 </td>
292                 <td style="padding-left: 120px;">
293                     <asp:Button ID="btnUpcA5" runat="server" Text="Update" OnClick="btnUpcA5_Click" />
294                 </td>
```

```
295         </tr>
296     </table>
297 </td>
298 <td style="width: 193px">
299     <ccl:LinearBarcode ID="dynamicBarcodeUpcA5" runat="server" LinearBarcodeType="UpcASupplement5"
300         Dpi="96" BarcodeMargin="20,20,20,20" Text="12345678901" SupplementValue="12345" />
301 </td>
302 </tr>
303 <tr>
304 <td>
305     UPC Version E Barcode
306 </td>
307 <td>
308     <asp:TextBox ID="txtUpcE" runat="server" Text="0123456"></asp:TextBox>
309     <asp:Button ID="btnUpdateUpcE" runat="server" Text="Update" OnClick="btnUpdateUpcE_Click" />
310 </td>
311 <td style="width: 193px">
312     <ccl:LinearBarcode ID="dynamicBarcodeUpcE" runat="server" LinearBarcodeType="UpcE"
313         Dpi="96" BarcodeMargin="20,20,20,20" Text="0123456" />
314 </td>
315 </tr>
316 <tr>
317 <td>
318     UPC Version E, 2 Digit Supplement Barcode
319 </td>
320 <td>
321     <table class="propTable">
322         <tr>
323             <td>
324                 Value :
325             </td>
326             <td>
327                 <asp:TextBox ID="txtUpcESup2" runat="server" Text="0123456"></asp:TextBox>
328             </td>
329         </tr>
330         <tr>
331             <td>
332                 Supplement :
333             </td>
334             <td>
335                 <asp:TextBox ID="txtUpcESup2Sup" runat="server" Text="12"></asp:TextBox>
336             </td>
337         </tr>
338         <tr>
339             <td>
340             </td>
341             <td style="padding-left: 120px;">
342                 <asp:Button ID="btnUpdateUpcE2" runat="server" Text="Update" OnClick="btnUpdateUpcE2_Click" />
343             </td>

```

```
344         </tr>
345     </table>
346 </td>
347 <td style="width: 193px">
348     <ccl:LinearBarcode ID="dynamicBarcodeUpcE2" runat="server" LinearBarcodeType="UpcESupplement2"
349         Dpi="96" BarcodeMargin="20,20,20,20" Text="0123456" SupplementValue="12" />
350 </td>
351 </tr>
352 <tr>
353 <td>
354     UPC Version E, 5 Digit Supplement Barcode
355 </td>
356 <td>
357     <table class="propTable">
358         <tr>
359             <td>
360                 Value :
361             </td>
362             <td>
363                 <asp:TextBox ID="txtUpcESup5" runat="server" Text="0123456"></asp:TextBox>
364             </td>
365         </tr>
366         <tr>
367             <td>
368                 Supplement :
369             </td>
370             <td>
371                 <asp:TextBox ID="txtUpcESup5Sup" runat="server" Text="12345"></asp:TextBox>
372             </td>
373         </tr>
374         <tr>
375             <td>
376             </td>
377             <td style="padding-left: 120px;">
378                 <asp:Button ID="btnUpdateUpcE5" runat="server" Text="Update" OnClick="btnUpdateUpcE5_Click" />
379             </td>
380         </tr>
381     </table>
382 </td>
383 <td style="width: 193px">
384     <ccl:LinearBarcode ID="dynamicBarcodeUpcE5" runat="server" LinearBarcodeType="UpcESupplement5"
385         Dpi="96" BarcodeMargin="20,20,20,20" Text="0123456" SupplementValue="12345" />
386 </td>
387 </tr>
388 <tr class="head">
389 <td colspan="3" style="height: 15px;">
390     Postal Barcodes
391 </td>
392 </tr>
```



```
393         <tr>
394             <td>
395                 Australia Post Barcode
396             </td>
397             <td>
398                 <asp:TextBox ID="txtAustraliaPost" runat="server" Text="1112345678"></asp:TextBox>
399                 <asp:Button ID="btnUpdateAustraliaPost" runat="server" Text="Update" OnClick="btnUpdateAustraliaPost_Click"
/>
400             </td>
401             <td style="width: 193px">
402                 <ccl:LinearBarcode ID="dynamicBarcodeAustraliaPost" runat="server" LinearBarcodeType="AustraliaPost"
403                     Dpi="96" BarcodeMargin="20,20,20,20" Text="1112345678" />
404             </td>
405         </tr>
406         <tr>
407             <td>
408                 Deutsche Post Identcode Barcode
409             </td>
410             <td>
411                 <asp:TextBox ID="txtDeutschePostIdentcode" runat="server" Text="12345678901"></asp:TextBox>
412                 <asp:Button ID="btnDeutschePostIdentcode" runat="server" Text="Update"
OnClick="btnDeutschePostIdentcode_Click" />
413             </td>
414             <td style="width: 193px">
415                 <ccl:LinearBarcode ID="dynamicBarcodeDeutschePostIdentcode" runat="server" SymbolHeight="80"
416                     LinearBarcodeType="DeutschePostIdentcode" Dpi="96" BarcodeMargin="20,20,20,20"
417                     Text="12345678901" />
418             </td>
419         </tr>
420         <tr>
421             <td>
422                 Deutsche Post Leitcode Barcode
423             </td>
424             <td>
425                 <asp:TextBox ID="txtDeutschePostLeitcode" runat="server" Text="1234567890123"></asp:TextBox>
426                 <asp:Button ID="btnDeutschePostLeitcode" runat="server" Text="Update"
OnClick="btnDeutschePostLeitcode_Click" />
427             </td>
428             <td style="width: 193px">
429                 <ccl:LinearBarcode ID="dynamicBarcodeDeutschePostLeitcode" runat="server" SymbolHeight="80"
430                     LinearBarcodeType="DeutschePostLeitcode" Dpi="96" BarcodeMargin="20,20,20,20"
431                     Text="1234567890123" />
432             </td>
433         </tr>
434         <tr>
435             <td>
436                 Intelligent Mail Barcode
437             </td>
438             <td>
```

```
439         <asp:TextBox ID="txtIntelligentMail" runat="server" Text="0123456709498765432101234567891"></asp:TextBox>
440         <asp:Button ID="btnUpdateIntelligentMail" runat="server" Text="Update"
OnClick="btnUpdateIntelligentMail_Click" />
441     </td>
442     <td style="width: 193px">
443         <ccl:LinearBarcode ID="dynamicBarcodeIntelligentMail" runat="server"
LinearBarcodeType="IntelligentMailBarcode"
444             Dpi="96" BarcodeMargin="20,20,20,20" Text="0123456709498765432101234567891" />
445     </td>
446 </tr>
447 <tr>
448     <td>
449         KIX Barcode
450     </td>
451     <td>
452         <asp:TextBox ID="txtKix" runat="server" Text="1231FZ13XHS"></asp:TextBox>
453         <asp:Button ID="btnKix" runat="server" Text="Update" OnClick="btnKix_Click" />
454     </td>
455     <td style="width: 193px">
456         <ccl:LinearBarcode ID="dynamicBarcodeKix" runat="server" LinearBarcodeType="Kix"
457             Dpi="96" BarcodeMargin="20,20,20,20" Text="1231FZ13XHS" />
458     </td>
459 </tr>
460 <tr>
461     <td>
462         Postnet Barcode
463     </td>
464     <td>
465         <asp:TextBox ID="txtPostnet" runat="server" Text="20815470412"></asp:TextBox>
466         <asp:Button ID="btnUpdatePostnet" runat="server" Text="Update" OnClick="btnUpdatePostnet_Click" />
467     </td>
468     <td style="width: 193px">
469         <ccl:LinearBarcode ID="dynamicBarcodePostnet" runat="server" LinearBarcodeType="Postnet"
470             Dpi="96" BarcodeMargin="20,20,20,20" Text="20815470412" />
471     </td>
472 </tr>
473 <tr>
474     <td>
475         RM4SCC Royal Mail Barcode
476     </td>
477     <td>
478         <asp:TextBox ID="txtRm4scc" runat="server" Text="1234567890"></asp:TextBox>
479         <asp:Button ID="btnUpdateRm4scc" runat="server" Text="Update" OnClick="btnUpdateRm4scc_Click" />
480     </td>
481     <td style="width: 193px">
482         <ccl:LinearBarcode ID="dynamicBarcodeRm4scc" runat="server" LinearBarcodeType="Rm4scc"
483             Dpi="96" BarcodeMargin="20,20,20,20" Text="1234567890" />
484     </td>
485 </tr>
```

```
486         <tr>
487             <td>
488                 Singapore Post Barcode
489             </td>
490             <td>
491                 <asp:TextBox ID="txtSingaporePost" runat="server" Text="208154"></asp:TextBox>
492                 <asp:Button ID="btnSingaporePost" runat="server" Text="Update" OnClick="btnSingaporePost_Click" />
493             </td>
494             <td style="width: 193px">
495                 <ccl:LinearBarcode ID="dynamicBarcodeSingaporePost" runat="server" LinearBarcodeType="SingaporePost"
496                     Dpi="96" BarcodeMargin="20,20,20,20" Text="208154" />
497             </td>
498         </tr>
499         <tr class="head">
500             <td colspan="3" style="height: 15px;">
501                 ISBN/ISMN/ISSN Barcodes
502             </td>
503         </tr>
504         <tr>
505             <td>
506                 ISBN Barcode
507             </td>
508             <td>
509                 <asp:TextBox ID="txtIsbn" runat="server" Text="987123456789"></asp:TextBox>
510                 <asp:Button ID="btnIsbn" runat="server" Text="Update" OnClick="btnIsbn_Click" />
511             </td>
512             <td style="width: 193px">
513                 <ccl:LinearBarcode ID="dynamicBarcodeIsbn" runat="server" LinearBarcodeType="Isbn"
514                     Dpi="96" BarcodeMargin="20,20,20,20" Text="987123456789" />
515             </td>
516         </tr>
517         <tr>
518             <td>
519                 ISBN, 2 Digit Supplement Barcode
520             </td>
521             <td>
522                 <table class="propTable">
523                     <tr>
524                         <td>
525                             Value :
526                         </td>
527                         <td>
528                             <asp:TextBox ID="txtIsbn2Value" runat="server" Text="987123456789"></asp:TextBox>
529                         </td>
530                     </tr>
531                     <tr>
532                         <td>
533                             Supplement :
534                         </td>
```

```
535         <td>
536             <asp:TextBox ID="txtIsbnSup2Value" runat="server" Text="12"></asp:TextBox>
537         </td>
538     </tr>
539     <tr>
540         <td>
541             </td>
542         <td style="padding-left: 120px;">
543             <asp:Button ID="btnIsbnSup2" runat="server" Text="Update" OnClick="btnIsbnSup2_Click" />
544         </td>
545     </tr>
546 </table>
547 </td>
548 <td style="width: 193px">
549     <ccl:LinearBarcode ID="dynamicBarcodeIsbnSup2" runat="server" LinearBarcodeType="IsbnSupplement2"
550         Dpi="96" BarcodeMargin="20,20,20,20" Text="987123456789" SupplementValue="12" />
551 </td>
552 </tr>
553 <tr>
554     <td>
555         ISBN, 5 Digit Supplement Barcode
556     </td>
557     <td>
558         <table class="propTable">
559             <tr>
560                 <td>
561                     Value :
562                 </td>
563                 <td>
564                     <asp:TextBox ID="txtIsbn5Value" runat="server" Text="987123456789"></asp:TextBox>
565                 </td>
566             </tr>
567             <tr>
568                 <td>
569                     Supplement :
570                 </td>
571                 <td>
572                     <asp:TextBox ID="txtIsbnSup5Value" runat="server" Text="12345"></asp:TextBox>
573                 </td>
574             </tr>
575             <tr>
576                 <td>
577                 </td>
578                 <td style="padding-left: 120px;">
579                     <asp:Button ID="btnIsbnSup5" runat="server" Text="Update" OnClick="btnIsbnSup5_Click" />
580                 </td>
581             </tr>
582         </table>
583     </td>
```

```
584         <td style="width: 193px">
585             <ccl:LinearBarcode ID="dynamicBarcodeIsbnSup5" runat="server" LinearBarcodeType="IsbnSupplement5"
586                 Dpi="96" BarcodeMargin="20,20,20,20" Text="987123456789" SupplementValue="12345" />
587         </td>
588     </tr>
589     <tr>
590         <td>
591             ISMN Barcode
592         </td>
593         <td>
594             <asp:TextBox ID="txtIsmn" runat="server" Text="979-0-1234-5678"></asp:TextBox>
595             <asp:Button ID="btnIsmn" runat="server" Text="Update" OnClick="btnIsmn_Click" />
596         </td>
597         <td style="width: 193px">
598             <ccl:LinearBarcode ID="dynamicBarcodeIsmn" runat="server" LinearBarcodeType="Ismn"
599                 Dpi="96" BarcodeMargin="20,20,20,20" Text="979-0-1234-5678" />
600         </td>
601     </tr>
602     <tr>
603         <td>
604             ISMN, 2 Digit Supplement Barcode
605         </td>
606         <td>
607             <table class="propTable">
608                 <tr>
609                     <td>
610                         Value :
611                     </td>
612                     <td>
613                         <asp:TextBox ID="txtIsmn2Value" runat="server" Text="979-0-1234-5678"></asp:TextBox>
614                     </td>
615                 </tr>
616                 <tr>
617                     <td>
618                         Supplement :
619                     </td>
620                     <td>
621                         <asp:TextBox ID="txtIsmnSup2Value" runat="server" Text="12"></asp:TextBox>
622                     </td>
623                 </tr>
624                 <tr>
625                     <td>
626                     </td>
627                     <td style="padding-left: 120px;">
628                         <asp:Button ID="btnIsmnSup2" runat="server" Text="Update" OnClick="btnIsmnSup2_Click" />
629                     </td>
630                 </tr>
631             </table>
632         </td>
```

```
633         <td style="width: 193px">
634             <ccl:LinearBarcode ID="dynamicBarcodeIsmnSup2" runat="server" LinearBarcodeType="IsmnSupplement2"
635                 Dpi="96" BarcodeMargin="20,20,20,20" Text="979-0-1234-5678" SupplementValue="12" />
636         </td>
637     </tr>
638     <tr>
639         <td>
640             ISMN, 5 Digit Supplement Barcode
641         </td>
642         <td>
643             <table class="propTable">
644                 <tr>
645                     <td>
646                         Value :
647                     </td>
648                     <td>
649                         <asp:TextBox ID="txtIsmn5Value" runat="server" Text="979-0-1234-5678"></asp:TextBox>
650                     </td>
651                 </tr>
652                 <tr>
653                     <td>
654                         Supplement :
655                     </td>
656                     <td>
657                         <asp:TextBox ID="txtIsmnSup5Value" runat="server" Text="12345"></asp:TextBox>
658                     </td>
659                 </tr>
660                 <tr>
661                     <td>
662                     </td>
663                     <td style="padding-left: 120px;">
664                         <asp:Button ID="btnIsmnSup5" runat="server" Text="Update" OnClick="btnIsmnSup5_Click" />
665                     </td>
666                 </tr>
667             </table>
668         </td>
669         <td style="width: 193px">
670             <ccl:LinearBarcode ID="dynamicBarcodeIsmnSup5" runat="server" LinearBarcodeType="IsmnSupplement5"
671                 Dpi="96" BarcodeMargin="20,20,20,20" Text="979-0-1234-5678" SupplementValue="12345" />
672         </td>
673     </tr>
674     <tr>
675         <td>
676             ISSN Barcode
677         </td>
678         <td>
679             <asp:TextBox ID="txtIssn" runat="server" Text="977-1234-56700"></asp:TextBox>
680             <asp:Button ID="btnIssn" runat="server" Text="Update" OnClick="btnIssn_Click" />
681         </td>
```

```
682         <td style="width: 193px">
683             <ccl:LinearBarcode ID="dynamicBarcodeIssn" runat="server" LinearBarcodeType="Issn"
684                 Dpi="96" BarcodeMargin="20,20,20,20" Text="977-1234-56700" />
685         </td>
686     </tr>
687     <tr>
688         <td>
689             ISSN, 2 Digit Supplement Barcode
690         </td>
691         <td>
692             <table class="propTable">
693                 <tr>
694                     <td>
695                         Value :
696                     </td>
697                     <td>
698                         <asp:TextBox ID="txtIssn2Value" runat="server" Text="977-1234-56700"></asp:TextBox>
699                     </td>
700                 </tr>
701                 <tr>
702                     <td>
703                         Supplement :
704                     </td>
705                     <td>
706                         <asp:TextBox ID="txtIssnSup2Value" runat="server" Text="12"></asp:TextBox>
707                     </td>
708                 </tr>
709                 <tr>
710                     <td>
711                     </td>
712                     <td style="padding-left: 120px;">
713                         <asp:Button ID="btnIssnSup2" runat="server" Text="Update" OnClick="btnIssnSup2_Click" />
714                     </td>
715                 </tr>
716             </table>
717         </td>
718         <td style="width: 193px">
719             <ccl:LinearBarcode ID="dynamicBarcodeIssnSup2" runat="server" LinearBarcodeType="IssnSupplement2"
720                 Dpi="96" BarcodeMargin="20,20,20,20" Text="977-1234-56700" SupplementValue="12" />
721         </td>
722     </tr>
723     <tr>
724         <td>
725             ISSN, 5 Digit Supplement Barcode
726         </td>
727         <td>
728             <table class="propTable">
729                 <tr>
730                     <td>
```

```
731             Value :
732             </td>
733             <td>
734                 <asp:TextBox ID="txtIssn5Value" runat="server" Text="977-1234-56700"></asp:TextBox>
735             </td>
736         </tr>
737         <tr>
738             <td>
739                 Supplement :
740             </td>
741             <td>
742                 <asp:TextBox ID="txtIssnSup5Value" runat="server" Text="12345"></asp:TextBox>
743             </td>
744         </tr>
745         <tr>
746             <td>
747             </td>
748             <td style="padding-left: 120px;">
749                 <asp:Button ID="btnIssnSup5" runat="server" Text="Update" OnClick="btnIssnSup5_Click" />
750             </td>
751         </tr>
752     </table>
753 </td>
754 <td style="width: 193px">
755     <ccl:LinearBarcode ID="dynamicBarcodeIssnSup5" runat="server" LinearBarcodeType="IssnSupplement5"
756         Dpi="96" BarcodeMargin="20,20,20,20" Text="977-1234-56700" SupplementValue="12345" />
757 </td>
758 </tr>
759 <tr class="head">
760     <td colspan="3" style="height: 15px;">
761         Other Linear Barcodes
762     </td>
763 </tr>
764 <tr>
765     <td style="height: 39px">
766         Codabar Barcode
767     </td>
768     <td style="height: 39px">
769         <asp:TextBox ID="txtCodabar" runat="server" Text="A1234D"></asp:TextBox>
770         <asp:Button ID="btnUpdateCodabar" runat="server" Text="Update" OnClick="btnUpdateCodabar_Click" />
771     </td>
772     <td style="width: 193px; height: 39px">
773         <ccl:LinearBarcode ID="dynamicBarcodeCodabar" runat="server" SymbolHeight="80" LinearBarcodeType="Codabar"
774             Dpi="96" BarcodeMargin="20,20,20,20" Text="A1234D" />
775     </td>
776 </tr>
777 <tr>
778     <td>
779         Code 11 Barcode
```



```
780         </td>
781         <td>
782             <asp:TextBox ID="txtCode11" runat="server" Text="1234567"></asp:TextBox>
783             <asp:Button ID="btnUpdateCode11" runat="server" Text="Update" OnClick="btnUpdateCode11_Click" />
784         </td>
785         <td style="width: 193px">
786             <ccl:LinearBarcode ID="dynamicBarcodeCode11" runat="server" SymbolHeight="80" LinearBarcodeType="Code11"
787                 Dpi="96" BarcodeMargin="20,20,20,20" Text="1234567" />
788         </td>
789     </tr>
790     <tr>
791         <td>
792             Code 128 Barcode
793         </td>
794         <td>
795             <asp:TextBox ID="txtCode128" runat="server" Text="Hello World"></asp:TextBox>
796             <asp:Button ID="btnUpdateCode128" runat="server" Text="Update" OnClick="btnUpdateCode128_Click" />
797         </td>
798         <td style="width: 193px">
799             <ccl:LinearBarcode ID="dynamicBarcodeCode128" runat="server" SymbolHeight="80" LinearBarcodeType="Code128"
800                 Dpi="96" BarcodeMargin="20,20,20,20" Text="Hello World" />
801         </td>
802     </tr>
803     <tr>
804         <td>
805             Code 25 Barcode
806         </td>
807         <td>
808             <asp:TextBox ID="txtCode25" runat="server" Text="123456789"></asp:TextBox>
809             <asp:Button ID="btnUpdateCode25" runat="server" Text="Update" OnClick="btnUpdateCode25_Click" />
810         </td>
811         <td style="width: 193px">
812             <ccl:LinearBarcode ID="dynamicBarcodeCode25" runat="server" SymbolHeight="80" LinearBarcodeType="Code25"
813                 Dpi="96" BarcodeMargin="20,20,20,20" Text="123456789" />
814         </td>
815     </tr>
816     <tr>
817         <td>
818             Code 39 Barcode
819         </td>
820         <td>
821             <asp:TextBox ID="txtCode39" runat="server" Text="123456789"></asp:TextBox>
822             <asp:Button ID="btnUpdateCode39" runat="server" Text="Update" OnClick="btnUpdateCode39_Click" />
823         </td>
824         <td style="width: 193px">
825             <ccl:LinearBarcode ID="dynamicBarcodeCode39" runat="server" SymbolHeight="80" LinearBarcodeType="Code39"
826                 Dpi="96" BarcodeMargin="20,20,20,20" Text="123456789" />
827         </td>
828     </tr>
```

```
829         <tr>
830             <td>
831                 Code 93 Barcode
832             </td>
833             <td>
834                 <asp:TextBox ID="txtCode93" runat="server" Text="123456789"></asp:TextBox>
835                 <asp:Button ID="btnUpdateCode93" runat="server" Text="Update" OnClick="btnUpdateCode93_Click" />
836             </td>
837             <td style="width: 193px">
838                 <ccl:LinearBarcode ID="dynamicBarcodeCode93" runat="server" SymbolHeight="80" LinearBarcodeType="Code93"
839                     Dpi="96" BarcodeMargin="20,20,20,20" Text="123456789" />
840             </td>
841         </tr>
842         <tr>
843             <td>
844                 EAN 14 Barcode
845             </td>
846             <td>
847                 <asp:TextBox ID="txtEan14" runat="server" Text="1234567890"></asp:TextBox>
848                 <asp:Button ID="btnEan14" runat="server" Text="Update" OnClick="btnEan14_Click" />
849             </td>
850             <td style="width: 193px">
851                 <ccl:LinearBarcode ID="dynamicBarcodeEan14" runat="server" SymbolHeight="80" LinearBarcodeType="Ean14"
852                     Dpi="96" BarcodeMargin="20,20,20,20" Text="1234567890" />
853             </td>
854         </tr>
855         <tr>
856             <td>
857                 GS1 DataBar
858             </td>
859             <td>
860                 <table class="propTable">
861                     <tr>
862                         <td class="style1">
863                             Value :
864                         </td>
865                         <td>
866                             <asp:TextBox ID="txtGS1DataBar" runat="server" Text="(01)1234567890123"></asp:TextBox>
867                         </td>
868                     </tr>
869                     <tr>
870                         <td class="style1">
871                             GS1 Type :
872                         </td>
873                         <td>
874                             <asp:DropDownList ID="ddlGS1Type" runat="server">
875                                 <asp:ListItem Selected="True" Text="Omnidirectional" Value="Omnidirectional"></asp:ListItem>
876                                 <asp:ListItem Text="Limited" Value="Limited"></asp:ListItem>
877                                 <asp:ListItem Text="Expanded" Value="Expanded"></asp:ListItem>

```

```
878         </asp:DropDownList>
879     </td>
880 </tr>
881 <tr>
882     <td class="style1">
883     </td>
884     <td style="padding-left: 120px;">
885         <asp:Button ID="btnUpdateGS1" runat="server" Text="Update" OnClick="btnUpdateGS1_Click" />
886     </td>
887 </tr>
888 </table>
889 </td>
890 <td style="width: 193px">
891     <ccl:LinearBarcode ID="dynamicBarcodeGS1" runat="server" LinearBarcodeType="GS1DataBar"
892         GS1DataBarType="Omnidirectional" SymbolHeight="80" Dpi="96" BarcodeMargin="20,20,20,20"
893         Text="(01)1234567890123" />
894 </td>
895 </tr>
896 <tr>
897     <td>
898         IATA 25 Barcode
899     </td>
900     <td>
901         <asp:TextBox ID="txtIata25" runat="server" Text="1234567890"></asp:TextBox>
902         <asp:Button ID="btnIata25" runat="server" Text="Update" OnClick="btnIata25_Click" />
903     </td>
904     <td style="width: 193px">
905         <ccl:LinearBarcode ID="dynamicBarcodeIata25" runat="server" SymbolHeight="80" LinearBarcodeType="Iata25"
906         Dpi="96" BarcodeMargin="20,20,20,20" Text="1234567890" />
907     </td>
908 </tr>
909 <tr>
910     <td>
911         Interleaved 25 Barcode
912     </td>
913     <td>
914         <asp:TextBox ID="txtInterleaved25" runat="server" Text="1234567890"></asp:TextBox>
915         <asp:Button ID="btnUpdateInterleaved25" runat="server" Text="Update" OnClick="btnUpdateInterleaved25_Click"
916         />
917     </td>
918     <td style="width: 193px">
919         <ccl:LinearBarcode ID="dynamicBarcodeInterleaved" runat="server" SymbolHeight="80"
920         LinearBarcodeType="Interleaved25" Dpi="96" BarcodeMargin="20,20,20,20" Text="1234567890" />
921     </td>
922 </tr>
923 <tr>
924     <td>
925         ITF 14 Barcode
```

```
926         <td>
927             <asp:TextBox ID="txtItf14" runat="server" Text="1234567890"></asp:TextBox>
928             <asp:Button ID="btnItf14" runat="server" Text="Update" OnClick="btnItf14_Click" />
929         </td>
930         <td style="width: 193px">
931             <ccl:LinearBarcode ID="dynamicBarcodeItf14" runat="server" LinearBarcodeType="Itf14"
932                 SymbolHeight="80" Dpi="96" BarcodeMargin="20,20,20,20" Text="1234567890" />
933         </td>
934     </tr>
935     <tr>
936         <td>
937             MSI Barcode
938         </td>
939         <td>
940             <asp:TextBox ID="txtMsiBarcode" runat="server" Text="1234567890"></asp:TextBox>
941             <asp:Button ID="btnUpdateMsi" runat="server" Text="Update" OnClick="btnUpdateMsi_Click" />
942         </td>
943         <td style="width: 193px">
944             <ccl:LinearBarcode ID="dynamicBarcodeMsi" runat="server" SymbolHeight="80" LinearBarcodeType="MsiBarcode"
945                 Dpi="96" BarcodeMargin="20,20,20,20" Text="1234567890" />
946         </td>
947     </tr>
948     <tr class="head">
949         <td colspan="3" style="height: 15px;">
950             2D and Stacked GS1 Databar Barcodes
951         </td>
952     </tr>
953     <tr>
954         <td>
955             Stacked GS1 DataBar
956         </td>
957         <td>
958             <table class="propTable">
959                 <tr>
960                     <td class="style1">
961                         Value :
962                     </td>
963                     <td>
964                         <asp:TextBox ID="txtStackedGs1" runat="server" Text="(01)1234567890123"></asp:TextBox>
965                     </td>
966                 </tr>
967                 <tr>
968                     <td class="style1">
969                         Stacked GS1 Type :
970                     </td>
971                     <td>
972                         <asp:DropDownList ID="ddlStackedGS1" runat="server">
973                             <asp:ListItem Selected="True" Text="Stacked" Value="Stacked"></asp:ListItem>
974                             <asp:ListItem Text="Stacked Omnidirectional" Value="StackedOmnidirectional"></asp:ListItem>
```

```
975         <asp:ListItem Text="Expanded Stacked" Value="ExpandedStacked"></asp:ListItem>
976     </asp:DropDownList>
977 </td>
978 </tr>
979 <tr>
980     <td class="style1">
981 </td>
982     <td style="padding-left: 120px;">
983         <asp:Button ID="btnUpdateStackedGS1" runat="server" Text="Update"
OnClick="btnUpdateStackedGS1_Click" />
984     </td>
985 </tr>
986 </table>
987 </td>
988 <td style="width: 193px">
989     <ccl:StackedGS1DataBar ID="dynamicBarcodeStackedGS1" runat="server" StackedGS1DataBarType="Stacked"
990     RowHeight="50" Dpi="96" BarcodeMargin="20,20,20,20" />
991 </td>
992 </tr>
993 <tr>
994     <td>
995         Aztec Barcode
996     </td>
997     <td>
998         <asp:TextBox ID="txtAztec" runat="server" Text="Hello World"></asp:TextBox>
999         <asp:Button ID="btnAztec" runat="server" Text="Update" OnClick="btnAztec_Click" />
1000     </td>
1001     <td style="width: 193px">
1002         <ccl:Aztec ID="dynamicBarcodeAztec" runat="server" Dpi="96" BarcodeMargin="20,20,20,20"
1003         Text="Hello World" />
1004     </td>
1005 </tr>
1006 <tr>
1007     <td>
1008         Data Matrix Barcode
1009     </td>
1010     <td>
1011         <asp:TextBox ID="txtDataMatrix" runat="server" Text="Data Matrix barcode for .NET can handle
overflow."></asp:TextBox>
1012         <asp:Button ID="btnUpdateDataMatrix" runat="server" Text="Update" OnClick="btnUpdateDataMatrix_Click" />
1013     </td>
1014     <td style="width: 193px">
1015         <ccl:DataMatrix ID="dynamicBarcodeDataMatrix" runat="server" Dpi="96" BarcodeMargin="20,20,20,20"
1016         Text="Data Matrix barcode for .NET can handle overflow." />
1017     </td>
1018 </tr>
1019 <tr>
1020     <td>
1021         PDF417 Barcode
```

```
1022         </td>
1023         <td>
1024             <asp:TextBox ID="txtPdf417" runat="server" Text="Hello World"></asp:TextBox>
1025             <asp:Button ID="btnUpdatePdf417" runat="server" Text="Update" OnClick="btnUpdatePdf417_Click" />
1026         </td>
1027         <td style="width: 193px">
1028             <cc1:Pdf417 ID="dynamicBarcodePdf417" runat="server" Dpi="96" BarcodeMargin="20,20,20,20"
1029                 Text="Hello World" />
1030         </td>
1031     </tr>
1032     <tr>
1033         <td>
1034             QR Code
1035         </td>
1036         <td>
1037             <asp:TextBox ID="txtQRCode" runat="server" Text="Hello World"></asp:TextBox>
1038             <asp:Button ID="btnUpdateQRCode" runat="server" Text="Update" OnClick="btnUpdateQRCode_Click" />
1039         </td>
1040         <td style="width: 193px">
1041             <cc1:QRCode ID="dynamicBarcodeQRCode" runat="server" Dpi="96" BarcodeMargin="20,20,20,20"
1042                 Text="Hello World" />
1043         </td>
1044     </tr>
1045 </table>
1046 </form>
1047 </div>
1048 </body>
1049 </html>
```

```
1 using System;
2 using System.Collections.Generic;
3 using System.Web;
4 using System.Web.UI;
5 using System.Web.UI.WebControls;
6
7 public partial class AllBarcodes_Basic : System.Web.UI.Page
8 {
9     protected void Page_Load(object sender, EventArgs e) { }
10
11     protected void btnUpdateCode128_Click(object sender, EventArgs e)
12     {
13         dynamicBarcodeCode128.Text = txtCode128.Text;
14     }
15
16     protected void btnUpdateCodabar_Click(object sender, EventArgs e)
17     {
18         dynamicBarcodeCodabar.Text = txtCodabar.Text;
19     }
20
21     protected void btnUpdateCode25_Click(object sender, EventArgs e)
22     {
23         dynamicBarcodeCode25.Text = txtCode25.Text;
24     }
25
26     protected void btnUpdateCode39_Click(object sender, EventArgs e)
27     {
28         dynamicBarcodeCode39.Text = txtCode39.Text;
29     }
30
31     protected void btnUpdateDataMatrix_Click(object sender, EventArgs e)
32     {
33         dynamicBarcodeDataMatrix.Text = txtDataMatrix.Text;
34     }
35
36     protected void btnUpdateQRCode_Click(object sender, EventArgs e)
37     {
38         dynamicBarcodeQRCode.Text = txtQRCode.Text;
39     }
40
41     protected void btnUpdatePdf417_Click(object sender, EventArgs e)
42     {
43         dynamicBarcodePdf417.Text = txtPdf417.Text;
44     }
45
46     protected void btnUpdateIntelligentMail_Click(object sender, EventArgs e)
47     {
48         dynamicBarcodeIntelligentMail.Text = txtIntelligentMail.Text;
49     }
```

```
50
51 protected void btnUpdatePostnet_Click(object sender, EventArgs e)
52 {
53     dynamicBarcodePostnet.Text = txtPostnet.Text;
54 }
55
56 protected void btnUpdateRm4scc_Click(object sender, EventArgs e)
57 {
58     dynamicBarcodeRm4scc.Text = txtRm4scc.Text;
59 }
60
61 protected void btnUpdateInterleaved25_Click(object sender, EventArgs e)
62 {
63     dynamicBarcodeInterleaved.Text = txtInterleaved25.Text;
64 }
65
66 protected void btnUpdateMsi_Click(object sender, EventArgs e)
67 {
68     dynamicBarcodeMsi.Text = txtMsiBarcode.Text;
69 }
70
71 protected void btnUpdateEan13_Click(object sender, EventArgs e)
72 {
73     dynamicBarcodeEan13.Text = txtEan13.Text;
74 }
75
76 protected void btnUpdateEan132_Click(object sender, EventArgs e)
77 {
78     dynamicBarcodeEan132.Text = txtEan13Sup2.Text;
79     dynamicBarcodeEan132.SupplementValue = txtEan13Sup2Sup.Text;
80 }
81
82 protected void btnUpdateEan135_Click(object sender, EventArgs e)
83 {
84     dynamicBarcodeEan135.Text = txtEan13Sup5.Text;
85     dynamicBarcodeEan135.SupplementValue = txtEan13Sup5Sup.Text;
86 }
87
88 protected void btnUpdateEan8_Click(object sender, EventArgs e)
89 {
90     dynamicBarcodeEan8.Text = txtEan8.Text;
91 }
92
93 protected void btnUpdateEan82_Click(object sender, EventArgs e)
94 {
95     dynamicBarcodeEan82.Text = txtEan8Sup2.Text;
96     dynamicBarcodeEan82.SupplementValue = txtEan8Sup2Sup.Text;
97 }
98 protected void btnUpdateEan85_Click(object sender, EventArgs e)
```



```
99     {
100         dynamicBarcodeEan85.Text = txtEan8Sup5.Text;
101         dynamicBarcodeEan85.SupplementValue = txtEan8Sup5Sup.Text;
102     }
103
104     protected void btnUpdateUpcA_Click(object sender, EventArgs e)
105     {
106         dynamicBarcodeUpcA.Text = txtUpcA.Text;
107     }
108
109     protected void btnUpcA2_Click(object sender, EventArgs e)
110     {
111         dynamicBarcodeUpcA2.Text = txtUpcASup2.Text;
112         dynamicBarcodeUpcA2.SupplementValue = txtUpcASup2Sup.Text;
113     }
114
115     protected void btnUpcA5_Click(object sender, EventArgs e)
116     {
117         dynamicBarcodeUpcA5.Text = txtUpcASup5.Text;
118         dynamicBarcodeUpcA5.SupplementValue = txtUpcASup5Sup.Text;
119     }
120
121     protected void btnUpdateUpcE_Click(object sender, EventArgs e)
122     {
123         dynamicBarcodeUpcE.Text = txtUpcE.Text;
124     }
125
126     protected void btnUpdateUpcE2_Click(object sender, EventArgs e)
127     {
128         dynamicBarcodeUpcE2.Text = txtUpcESup2.Text;
129         dynamicBarcodeUpcE2.SupplementValue = txtUpcESup2Sup.Text;
130     }
131
132     protected void btnUpdateUpcE5_Click(object sender, EventArgs e)
133     {
134         dynamicBarcodeUpcE5.Text = txtUpcESup5.Text;
135         dynamicBarcodeUpcE5.SupplementValue = txtUpcESup5Sup.Text;
136     }
137
138     protected void btnUpdateCode11_Click(object sender, EventArgs e)
139     {
140         dynamicBarcodeCode11.Text = txtCode11.Text;
141     }
142     protected void btnUpdateGS1_Click(object sender, EventArgs e)
143     {
144         switch (ddlGS1Type.SelectedValue)
145         {
146             case "Omnidirectional":
147                 dynamicBarcodeGS1.GS1DataBarType = ceTe.DynamicBarcode.Creator.GS1DataBarType.Omnidirectional;
```

```
148         break;
149     case "Limited":
150         dynamicBarcodeGS1.GS1DataBarType = ceTe.DynamicBarcode.Creator.GS1DataBarType.Limited;
151         break;
152     case "Expanded":
153         dynamicBarcodeGS1.GS1DataBarType = ceTe.DynamicBarcode.Creator.GS1DataBarType.Expanded;
154         break;
155     }
156     dynamicBarcodeGS1.Text = txtGS1DataBar.Text;
157 }
158 protected void btnUpdateStackedGS1_Click(object sender, EventArgs e)
159 {
160     switch (ddlStackedGS1.SelectedValue)
161     {
162         case "Stacked":
163             dynamicBarcodeStackedGS1.StackedGS1DataBarType = ceTe.DynamicBarcode.Creator.StackedGS1DataBarType.Stacked;
164             break;
165         case "StackedOmnidirectional":
166             dynamicBarcodeStackedGS1.StackedGS1DataBarType =
167             ceTe.DynamicBarcode.Creator.StackedGS1DataBarType.StackedOmnidirectional;
168             break;
169         case "ExpandedStacked":
170             dynamicBarcodeStackedGS1.StackedGS1DataBarType =
171             ceTe.DynamicBarcode.Creator.StackedGS1DataBarType.ExpandedStacked;
172             break;
173     }
174     dynamicBarcodeStackedGS1.Text = txtStackedGs1.Text;
175 }
176 protected void btnUpdateAustraliaPost_Click(object sender, EventArgs e)
177 {
178     dynamicBarcodeAustraliaPost.Text = txtAustraliaPost.Text;
179 }
180 protected void btnUpdateCode93_Click(object sender, EventArgs e)
181 {
182     dynamicBarcodeCode93.Text = txtCode93.Text;
183 }
184 protected void btnDeutschePostIdentcode_Click(object sender, EventArgs e)
185 {
186     dynamicBarcodeDeutschePostIdentcode.Text = txtDeutschePostIdentcode.Text;
187 }
188 protected void btnDeutschePostLeitcode_Click(object sender, EventArgs e)
189 {
190     dynamicBarcodeDeutschePostLeitcode.Text = txtDeutschePostLeitcode.Text;
191 }
192 protected void btnEan14_Click(object sender, EventArgs e)
193 {
194     dynamicBarcodeEan14.Text = txtEan14.Text;
195 }
196 protected void btnIata25_Click(object sender, EventArgs e)
```

```
195     {
196         dynamicBarcodeIata25.Text = txtIata25.Text;
197     }
198 protected void btnIsbnSup5_Click(object sender, EventArgs e)
199     {
200         dynamicBarcodeIsbnSup5.Text = txtIsbn5Value.Text;
201         dynamicBarcodeIsbnSup5.SupplementValue = txtIsbnSup5Value.Text;
202     }
203 protected void btnIsbnSup2_Click(object sender, EventArgs e)
204     {
205         dynamicBarcodeIsbnSup2.Text = txtIsbn2Value.Text;
206         dynamicBarcodeIsbnSup2.SupplementValue = txtIsbnSup2Value.Text;
207     }
208 protected void btnIsbn_Click(object sender, EventArgs e)
209     {
210         dynamicBarcodeIsbn.Text = txtIsbn.Text;
211     }
212 protected void btnIsmnSup5_Click(object sender, EventArgs e)
213     {
214         dynamicBarcodeIsmnSup5.Text = txtIsmn5Value.Text;
215         dynamicBarcodeIsmnSup5.SupplementValue = txtIsmnSup5Value.Text;
216     }
217 protected void btnIsmnSup2_Click(object sender, EventArgs e)
218     {
219         dynamicBarcodeIsmnSup2.Text = txtIsmn2Value.Text;
220         dynamicBarcodeIsmnSup2.SupplementValue = txtIsmnSup2Value.Text;
221     }
222 protected void btnIsmn_Click(object sender, EventArgs e)
223     {
224         dynamicBarcodeIsmn.Text = txtIsmn.Text;
225     }
226 protected void btnIssnSup5_Click(object sender, EventArgs e)
227     {
228         dynamicBarcodeIssnSup5.Text = txtIssn5Value.Text;
229         dynamicBarcodeIssnSup5.SupplementValue = txtIssnSup5Value.Text;
230     }
231 protected void btnIssnSup2_Click(object sender, EventArgs e)
232     {
233         dynamicBarcodeIssnSup2.Text = txtIssn2Value.Text;
234         dynamicBarcodeIssnSup2.SupplementValue = txtIssnSup2Value.Text;
235     }
236 protected void btnIssn_Click(object sender, EventArgs e)
237     {
238         dynamicBarcodeIssn.Text = txtIssn.Text;
239     }
240 protected void btnItf14_Click(object sender, EventArgs e)
241     {
242         dynamicBarcodeItf14.Text = txtItf14.Text;
243     }
```

```
244     protected void btnKix_Click(object sender, EventArgs e)
245     {
246         dynamicBarcodeKix.Text = txtKix.Text;
247     }
248     protected void btnSingaporePost_Click(object sender, EventArgs e)
249     {
250         dynamicBarcodeSingaporePost.Text = txtSingaporePost.Text;
251     }
252     protected void btnAztec_Click(object sender, EventArgs e)
253     {
254         dynamicBarcodeAztec.Text = txtAztec.Text;
255     }
256 }
```