

```
1 <%@ Page Language="VB" AutoEventWireup="false" CodeFile="AllBarcodes_Basic.aspx.vb"
2     Inherits="AllBarcodes_Basic" MaintainScrollPositionOnPostBack="true" %>
3
4 <%@ Register Assembly="ceTe.DynamicBarcode.Creator.20" Namespace="ceTe.DynamicBarcode.Creator.Web"
5     TagPrefix="cc1" %>
6 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
7 <html xmlns="http://www.w3.org/1999/xhtml">
8 <head id="Head1" runat="server">
9     <title>DynamicBarcode Creator Examples</title>
10    <link rel="stylesheet" type="text/css" href="Style/DynamicBarcodeCreator.css" />
11    <meta name="DESCRIPTION" content="All Barcode Example in C# using DynamicBarcode Creator v2.0 for .NET" />
12 </head>
13 <body>
14     <div id="banner">
15         
17     <div id="header">
18         <i>DynamicBarcode Creator</i> v2.0 for .NET Examples</div>
19     <h1>
20         All Barcodes Example</h1>
21 </div>
22 <div id="content">
23     <form id="AllBarcodes_Basic" runat="server">
24     <table border="0">
25         <tr class="head">
26             <td style="width: 25%; height: 20px">
27                 Barcode Type
28             </td>
29             <td style="width: 25%; height: 20px">
30                 Data
31             </td>
32             <td style="width: 50%; height: 20px">
33                 Barcode Using Controls
34             </td>
35         </tr>
36         <tr class="head">
37             <td colspan="3" style="height: 15px;">
38                 UPC/EAN/JAN Barcodes
39             </td>
40         </tr>
41         <tr>
```

```
42         <td>
43             EAN 13 Barcode
44         </td>
45         <td>
46             <asp:TextBox ID="txtEan13" runat="server" Text="123456789012"></asp:TextBox>
47             <asp:Button ID="btnUpdateEan13" runat="server" Text="Update" OnClick="btnUpdateEan13_Click" />
48         </td>
49         <td style="width: 193px">
50             <ccl:LinearBarcode ID="dynamicBarcodeEan13" runat="server" LinearBarcodeType="Ean13"
51                 Dpi="96" BarcodeMargin="20,20,20,20" Text="123456789012" />
52         </td>
53     </tr>
54     <tr>
55         <td>
56             EAN 13, 2 Digit Supplement Barcode
57         </td>
58         <td>
59             <table class="propTable">
60                 <tr>
61                     <td>
62                         Value :
63                     </td>
64                     <td>
65                         <asp:TextBox ID="txtEan13Sup2" runat="server" Text="123456789012"></asp:TextBox>
66                     </td>
67                 </tr>
68                 <tr>
69                     <td>
70                         Supplement :
71                     </td>
72                     <td>
73                         <asp:TextBox ID="txtEan13Sup2Sup" runat="server" Text="12"></asp:TextBox>
74                     </td>
75                 </tr>
76                 <tr>
77                     <td>
78                     </td>
79                     <td style="padding-left: 120px;">
80                         <asp:Button ID="btnUpdateEan132" runat="server" Text="Update" OnClick="btnUpdateEan132_Click" />
81                     </td>
82                 </tr>
            </table>
        </td>
    </tr>
```

```
83         </table>
84     </td>
85     <td style="width: 193px">
86         <ccl:LinearBarcode ID="dynamicBarcodeEan132" runat="server" LinearBarcodeType="Ean13Supplement2"
87             Dpi="96" BarcodeMargin="20,20,20,20" Text="123456789012" SupplementValue="12" />
88     </td>
89 </tr>
90 <tr>
91     <td>
92         EAN 13, 5 Digit Supplement Barcode
93     </td>
94     <td>
95         <table class="propTable">
96             <tr>
97                 <td>
98                     Value :
99                 </td>
100                <td>
101                    <asp:TextBox ID="txtEan13Sup5" runat="server" Text="123456789012"></asp:TextBox>
102                </td>
103            </tr>
104            <tr>
105                <td>
106                    Supplement :
107                </td>
108                <td>
109                    <asp:TextBox ID="txtEan13Sup5Sup" runat="server" Text="12345"></asp:TextBox>
110                </td>
111            </tr>
112            <tr>
113                <td>
114                </td>
115                <td style="padding-left: 120px;">
116                    <asp:Button ID="btnUpdateEan135" runat="server" Text="Update" OnClick="btnUpdateEan135_Click" />
117                </td>
118            </tr>
119        </table>
120    </td>
121    <td style="width: 193px">
122        <ccl:LinearBarcode ID="dynamicBarcodeEan135" runat="server" LinearBarcodeType="Ean13Supplement5"
123            Dpi="96" BarcodeMargin="20,20,20,20" Text="123456789012" SupplementValue="12345" />
```

```
124         </td>
125     </tr>
126     <tr>
127         <td>
128             EAN 8 Barcode
129         </td>
130         <td>
131             <asp:TextBox ID="txtEan8" runat="server" Text="12345670"></asp:TextBox>
132             <asp:Button ID="btnUpdateEan8" runat="server" Text="Update" OnClick="btnUpdateEan8_Click" />
133         </td>
134         <td style="width: 193px">
135             <ccl:LinearBarcode ID="dynamicBarcodeEan8" runat="server" LinearBarcodeType="Ean8"
136                 Dpi="96" BarcodeMargin="20,20,20,20" Text="12345670" />
137         </td>
138     </tr>
139     <tr>
140         <td>
141             EAN 8, 2 Digit Supplement Barcode
142         </td>
143         <td>
144             <table class="propTable">
145                 <tr>
146                     <td>
147                         Value :
148                     </td>
149                     <td>
150                         <asp:TextBox ID="txtEan8Sup2" runat="server" Text="12345670"></asp:TextBox>
151                     </td>
152                 </tr>
153                 <tr>
154                     <td>
155                         Supplement :
156                     </td>
157                     <td>
158                         <asp:TextBox ID="txtEan8Sup2Sup" runat="server" Text="12"></asp:TextBox>
159                     </td>
160                 </tr>
161                 <tr>
162                     <td>
163                     </td>
164                     <td style="padding-left: 120px;">
```

```
165         <asp:Button ID="btnUpdateEan82" runat="server" Text="Update" OnClick="btnUpdateEan82_Click" />
166     </td>
167 </tr>
168 </table>
169 </td>
170 <td style="width: 193px">
171     <ccl:LinearBarcode ID="dynamicBarcodeEan82" runat="server" LinearBarcodeType="Ean8Supplement2"
172     Dpi="96" BarcodeMargin="20,20,20,20" Text="12345670" SupplementValue="12" />
173 </td>
174 </tr>
175 <tr>
176 <td>
177     EAN 8, 5 Digit Supplement Barcode
178 </td>
179 <td>
180     <table class="propTable">
181         <tr>
182             <td>
183                 Value :
184             </td>
185             <td>
186                 <asp:TextBox ID="txtEan8Sup5" runat="server" Text="12345670"></asp:TextBox>
187             </td>
188         </tr>
189         <tr>
190             <td>
191                 Supplement :
192             </td>
193             <td>
194                 <asp:TextBox ID="txtEan8Sup5Sup" runat="server" Text="12345"></asp:TextBox>
195             </td>
196         </tr>
197     </table>
198 </td>
199 </td>
200 <td style="padding-left: 120px;">
201     <asp:Button ID="btnUpdateEan85" runat="server" Text="Update" OnClick="btnUpdateEan85_Click" />
202 </td>
203 </tr>
204 </table>
205 </td>
```

```
206         <td style="width: 193px">
207             <ccl:LinearBarcode ID="dynamicBarcodeEan85" runat="server" LinearBarcodeType="Ean8Supplement5"
208                 Dpi="96" BarcodeMargin="20,20,20,20" Text="12345670" SupplementValue="12345" />
209         </td>
210     </tr>
211     <tr>
212         <td>
213             UPC Version A Barcode
214         </td>
215         <td>
216             <asp:TextBox ID="txtUpcA" runat="server" Text="12345678901"></asp:TextBox>
217             <asp:Button ID="btnUpdateUpcA" runat="server" Text="Update" OnClick="btnUpdateUpcA_Click" />
218         </td>
219     <td style="width: 193px">
220         <ccl:LinearBarcode ID="dynamicBarcodeUpcA" runat="server" LinearBarcodeType="UpcA"
221             Dpi="96" BarcodeMargin="20,20,20,20" Text="12345678901" />
222     </td>
223 </tr>
224 <tr>
225     <td>
226         UPC Version A, 2 Digit Supplement Barcode
227     </td>
228     <td>
229         <table class="propTable">
230             <tr>
231                 <td>
232                     Value :
233                 </td>
234                 <td>
235                     <asp:TextBox ID="txtUpcASup2" runat="server" Text="12345678901"></asp:TextBox>
236                 </td>
237             </tr>
238             <tr>
239                 <td>
240                     Supplement :
241                 </td>
242                 <td>
243                     <asp:TextBox ID="txtUpcASup2Sup" runat="server" Text="12"></asp:TextBox>
244                 </td>
245             </tr>
246             <tr>
```

```
247         <td>
248         </td>
249         <td style="padding-left: 120px;">
250             <asp:Button ID="btnUpcA2" runat="server" Text="Update" OnClick="btnUpcA2_Click" />
251         </td>
252     </tr>
253 </table>
254 </td>
255 <td style="width: 193px">
256     <ccl:LinearBarcode ID="dynamicBarcodeUpcA2" runat="server" LinearBarcodeType="UpcASupplement2"
257         Dpi="96" BarcodeMargin="20,20,20,20" Text="12345678901" SupplementValue="12" />
258 </td>
259 </tr>
260 <tr>
261     <td>
262         UPC Version A, 5 Digit Supplement Barcode
263     </td>
264     <td>
265         <table class="propTable">
266             <tr>
267                 <td>
268                     Value :
269                 </td>
270                 <td>
271                     <asp:TextBox ID="txtUpcASup5" runat="server" Text="12345678901"></asp:TextBox>
272                 </td>
273             </tr>
274             <tr>
275                 <td>
276                     Supplement :
277                 </td>
278                 <td>
279                     <asp:TextBox ID="txtUpcASup5Sup" runat="server" Text="12345"></asp:TextBox>
280                 </td>
281             </tr>
282             <tr>
283                 <td>
284                 </td>
285                 <td style="padding-left: 120px;">
286                     <asp:Button ID="btnUpcA5" runat="server" Text="Update" OnClick="btnUpcA5_Click" />
287                 </td>
```

```
288         </tr>
289     </table>
290 </td>
291 <td style="width: 193px">
292     <ccl:LinearBarcode ID="dynamicBarcodeUpcA5" runat="server" LinearBarcodeType="UpcASupplement5"
293         Dpi="96" BarcodeMargin="20,20,20,20" Text="12345678901" SupplementValue="12345" />
294 </td>
295 </tr>
296 <tr>
297     <td>
298         UPC Version E Barcode
299     </td>
300     <td>
301         <asp:TextBox ID="txtUpcE" runat="server" Text="0123456"></asp:TextBox>
302         <asp:Button ID="btnUpdateUpcE" runat="server" Text="Update" OnClick="btnUpdateUpcE_Click" />
303     </td>
304     <td style="width: 193px">
305         <ccl:LinearBarcode ID="dynamicBarcodeUpcE" runat="server" LinearBarcodeType="UpcE"
306             Dpi="96" BarcodeMargin="20,20,20,20" Text="0123456" />
307     </td>
308 </tr>
309 <tr>
310     <td>
311         UPC Version E, 2 Digit Supplement Barcode
312     </td>
313     <td>
314         <table class="propTable">
315             <tr>
316                 <td>
317                     Value :
318                 </td>
319                 <td>
320                     <asp:TextBox ID="txtUpcESup2" runat="server" Text="0123456"></asp:TextBox>
321                 </td>
322             </tr>
323             <tr>
324                 <td>
325                     Supplement :
326                 </td>
327                 <td>
328                     <asp:TextBox ID="txtUpcESup2Sup" runat="server" Text="12"></asp:TextBox>
```



```
329         </td>
330     </tr>
331     <tr>
332         <td>
333         </td>
334         <td style="padding-left: 120px;">
335             <asp:Button ID="btnUpdateUpcE2" runat="server" Text="Update" OnClick="btnUpdateUpcE2_Click" />
336         </td>
337     </tr>
338 </table>
339 </td>
340 <td style="width: 193px">
341     <ccl:LinearBarcode ID="dynamicBarcodeUpcE2" runat="server" LinearBarcodeType="UpcESupplement2"
342         Dpi="96" BarcodeMargin="20,20,20,20" Text="0123456" SupplementValue="12" />
343 </td>
344 </tr>
345 <tr>
346     <td>
347         UPC Version E, 5 Digit Supplement Barcode
348     </td>
349     <td>
350         <table class="propTable">
351             <tr>
352                 <td>
353                     Value :
354                 </td>
355                 <td>
356                     <asp:TextBox ID="txtUpcESup5" runat="server" Text="0123456"></asp:TextBox>
357                 </td>
358             </tr>
359             <tr>
360                 <td>
361                     Supplement :
362                 </td>
363                 <td>
364                     <asp:TextBox ID="txtUpcESup5Sup" runat="server" Text="12345"></asp:TextBox>
365                 </td>
366             </tr>
367             <tr>
368                 <td>
369                 </td>
```

```
370         <td style="padding-left: 120px;">
371             <asp:Button ID="btnUpdateUpcE5" runat="server" Text="Update" OnClick="btnUpdateUpcE5_Click" />
372         </td>
373     </tr>
374 </table>
375 </td>
376 <td style="width: 193px">
377     <ccl:LinearBarcode ID="dynamicBarcodeUpcE5" runat="server" LinearBarcodeType="UpcESupplement5"
378         Dpi="96" BarcodeMargin="20,20,20,20" Text="0123456" SupplementValue="12345" />
379 </td>
380 </tr>
381 <tr class="head">
382     <td colspan="3" style="height: 15px;">
383         Postal Barcodes
384     </td>
385 </tr>
386 <tr>
387     <td>
388         Australia Post Barcode
389     </td>
390     <td>
391         <asp:TextBox ID="txtAustraliaPost" runat="server" Text="1112345678"></asp:TextBox>
392         <asp:Button ID="btnUpdateAustraliaPost" runat="server" Text="Update" OnClick="btnUpdateAustraliaPost_Click"
/>
393     </td>
394     <td style="width: 193px">
395         <ccl:LinearBarcode ID="dynamicBarcodeAustraliaPost" runat="server" LinearBarcodeType="AustraliaPost"
396             Dpi="96" BarcodeMargin="20,20,20,20" Text="1112345678" />
397     </td>
398 </tr>
399 <tr>
400     <td>
401         Deutsche Post Identcode Barcode
402     </td>
403     <td>
404         <asp:TextBox ID="txtDeutschePostIdentcode" runat="server" Text="12345678901"></asp:TextBox>
405         <asp:Button ID="btnDeutschePostIdentcode" runat="server" Text="Update"
OnClick="btnDeutschePostIdentcode_Click" />
406     </td>
407     <td style="width: 193px">
408         <ccl:LinearBarcode ID="dynamicBarcodeDeutschePostIdentcode" runat="server" SymbolHeight="80"
```

```
409         LinearBarcodeType="DeutschePostIdentcode" Dpi="96" BarcodeMargin="20,20,20,20"
410         Text="12345678901" />
411     </td>
412 </tr>
413 <tr>
414     <td>
415         Deutsche Post Leitcode Barcode
416     </td>
417     <td>
418         <asp:TextBox ID="txtDeutschePostLeitcode" runat="server" Text="1234567890123"></asp:TextBox>
419         <asp:Button ID="btnDeutschePostLeitcode" runat="server" Text="Update"
OnClick="btnDeutschePostLeitcode_Click" />
420     </td>
421     <td style="width: 193px">
422         <ccl:LinearBarcode ID="dynamicBarcodeDeutschePostLeitcode" runat="server" SymbolHeight="80"
423         LinearBarcodeType="DeutschePostLeitcode" Dpi="96" BarcodeMargin="20,20,20,20"
424         Text="1234567890123" />
425     </td>
426 </tr>
427 <tr>
428     <td>
429         Intelligent Mail Barcode
430     </td>
431     <td>
432         <asp:TextBox ID="txtIntelligentMail" runat="server" Text="0123456709498765432101234567891"></asp:TextBox>
433         <asp:Button ID="btnUpdateIntelligentMail" runat="server" Text="Update"
OnClick="btnUpdateIntelligentMail_Click" />
434     </td>
435     <td style="width: 193px">
436         <ccl:LinearBarcode ID="dynamicBarcodeIntelligentMail" runat="server"
LinearBarcodeType="IntelligentMailBarcode"
437         Dpi="96" BarcodeMargin="20,20,20,20" Text="0123456709498765432101234567891" />
438     </td>
439 </tr>
440 <tr>
441     <td>
442         KIX Barcode
443     </td>
444     <td>
445         <asp:TextBox ID="txtKix" runat="server" Text="1231FZ13XHS"></asp:TextBox>
446         <asp:Button ID="btnKix" runat="server" Text="Update" OnClick="btnKix_Click" />
```

```
447         </td>
448         <td style="width: 193px">
449             <ccl:LinearBarcode ID="dynamicBarcodeKix" runat="server" LinearBarcodeType="Kix"
450                 Dpi="96" BarcodeMargin="20,20,20,20" Text="1231FZ13XHS" />
451         </td>
452     </tr>
453     <tr>
454         <td>
455             Postnet Barcode
456         </td>
457         <td>
458             <asp:TextBox ID="txtPostnet" runat="server" Text="20815470412"></asp:TextBox>
459             <asp:Button ID="btnUpdatePostnet" runat="server" Text="Update" OnClick="btnUpdatePostnet_Click" />
460         </td>
461         <td style="width: 193px">
462             <ccl:LinearBarcode ID="dynamicBarcodePostnet" runat="server" LinearBarcodeType="Postnet"
463                 Dpi="96" BarcodeMargin="20,20,20,20" Text="20815470412" />
464         </td>
465     </tr>
466     <tr>
467         <td>
468             RM4SCC Royal Mail Barcode
469         </td>
470         <td>
471             <asp:TextBox ID="txtRm4scc" runat="server" Text="1234567890"></asp:TextBox>
472             <asp:Button ID="btnUpdateRm4scc" runat="server" Text="Update" OnClick="btnUpdateRm4scc_Click" />
473         </td>
474         <td style="width: 193px">
475             <ccl:LinearBarcode ID="dynamicBarcodeRm4scc" runat="server" LinearBarcodeType="Rm4scc"
476                 Dpi="96" BarcodeMargin="20,20,20,20" Text="1234567890" />
477         </td>
478     </tr>
479     <tr>
480         <td>
481             Singapore Post Barcode
482         </td>
483         <td>
484             <asp:TextBox ID="txtSingaporePost" runat="server" Text="208154"></asp:TextBox>
485             <asp:Button ID="btnSingaporePost" runat="server" Text="Update" OnClick="btnSingaporePost_Click" />
486         </td>
487         <td style="width: 193px">
```

```
488         <ccl:LinearBarcode ID="dynamicBarcodeSingaporePost" runat="server" LinearBarcodeType="SingaporePost "
489             Dpi="96" BarcodeMargin="20,20,20,20" Text="208154" />
490     </td>
491 </tr>
492 <tr class="head">
493     <td colspan="3" style="height: 15px;">
494         ISBN/ISMN/ISSN Barcodes
495     </td>
496 </tr>
497 <tr>
498     <td>
499         ISBN Barcode
500     </td>
501     <td>
502         <asp:TextBox ID="txtIsbn" runat="server" Text="987123456789"></asp:TextBox>
503         <asp:Button ID="btnIsbn" runat="server" Text="Update" OnClick="btnIsbn_Click" />
504     </td>
505     <td style="width: 193px">
506         <ccl:LinearBarcode ID="dynamicBarcodeIsbn" runat="server" LinearBarcodeType="Isbn"
507             Dpi="96" BarcodeMargin="20,20,20,20" Text="987123456789" />
508     </td>
509 </tr>
510 <tr>
511     <td>
512         ISBN, 2 Digit Supplement Barcode
513     </td>
514     <td>
515         <table class="propTable">
516             <tr>
517                 <td>
518                     Value :
519                 </td>
520                 <td>
521                     <asp:TextBox ID="txtIsbn2Value" runat="server" Text="987123456789"></asp:TextBox>
522                 </td>
523             </tr>
524             <tr>
525                 <td>
526                     Supplement :
527                 </td>
528                 <td>
```

```
529         <asp:TextBox ID="txtIsbnSup2Value" runat="server" Text="12"></asp:TextBox>
530     </td>
531 </tr>
532 <tr>
533     <td>
534     </td>
535     <td style="padding-left: 120px;">
536         <asp:Button ID="btnIsbnSup2" runat="server" Text="Update" OnClick="btnIsbnSup2_Click" />
537     </td>
538 </tr>
539 </table>
540 </td>
541 <td style="width: 193px">
542     <ccl:LinearBarcode ID="dynamicBarcodeIsbnSup2" runat="server" LinearBarcodeType="IsbnSupplement2"
543         Dpi="96" BarcodeMargin="20,20,20,20" Text="987123456789" SupplementValue="12" />
544 </td>
545 </tr>
546 <tr>
547     <td>
548         ISBN, 5 Digit Supplement Barcode
549     </td>
550     <td>
551         <table class="propTable">
552             <tr>
553                 <td>
554                     Value :
555                 </td>
556                 <td>
557                     <asp:TextBox ID="txtIsbn5Value" runat="server" Text="987123456789"></asp:TextBox>
558                 </td>
559             </tr>
560             <tr>
561                 <td>
562                     Supplement :
563                 </td>
564                 <td>
565                     <asp:TextBox ID="txtIsbnSup5Value" runat="server" Text="12345"></asp:TextBox>
566                 </td>
567             </tr>
568             <tr>
569                 <td>
```

```
570         </td>
571         <td style="padding-left: 120px;">
572             <asp:Button ID="btnIsbnSup5" runat="server" Text="Update" OnClick="btnIsbnSup5_Click" />
573         </td>
574     </tr>
575 </table>
576 </td>
577 <td style="width: 193px">
578     <ccl:LinearBarcode ID="dynamicBarcodeIsbnSup5" runat="server" LinearBarcodeType="IsbnSupplement5"
579         Dpi="96" BarcodeMargin="20,20,20,20" Text="987123456789" SupplementValue="12345" />
580 </td>
581 </tr>
582 <tr>
583     <td>
584         ISMN Barcode
585     </td>
586     <td>
587         <asp:TextBox ID="txtIsmn" runat="server" Text="979-0-1234-5678"></asp:TextBox>
588         <asp:Button ID="btnIsmn" runat="server" Text="Update" OnClick="btnIsmn_Click" />
589     </td>
590     <td style="width: 193px">
591         <ccl:LinearBarcode ID="dynamicBarcodeIsmn" runat="server" LinearBarcodeType="Ismn"
592             Dpi="96" BarcodeMargin="20,20,20,20" Text="979-0-1234-5678" />
593     </td>
594 </tr>
595 <tr>
596     <td>
597         ISMN, 2 Digit Supplement Barcode
598     </td>
599     <td>
600         <table class="propTable">
601             <tr>
602                 <td>
603                     Value :
604                 </td>
605                 <td>
606                     <asp:TextBox ID="txtIsmn2Value" runat="server" Text="979-0-1234-5678"></asp:TextBox>
607                 </td>
608             </tr>
609             <tr>
610                 <td>
```

```
611         Supplement :
612     </td>
613     <td>
614         <asp:TextBox ID="txtIsmnSup2Value" runat="server" Text="12"></asp:TextBox>
615     </td>
616 </tr>
617 <tr>
618     <td>
619     </td>
620     <td style="padding-left: 120px;">
621         <asp:Button ID="btnIsmnSup2" runat="server" Text="Update" OnClick="btnIsmnSup2_Click" />
622     </td>
623 </tr>
624 </table>
625 </td>
626 <td style="width: 193px">
627     <ccl:LinearBarcode ID="dynamicBarcodeIsmnSup2" runat="server" LinearBarcodeType="IsmnSupplement2"
628         Dpi="96" BarcodeMargin="20,20,20,20" Text="979-0-1234-5678" SupplementValue="12" />
629 </td>
630 </tr>
631 <tr>
632     <td>
633         ISMN, 5 Digit Supplement Barcode
634     </td>
635     <td>
636         <table class="propTable">
637             <tr>
638                 <td>
639                     Value :
640                 </td>
641                 <td>
642                     <asp:TextBox ID="txtIsmn5Value" runat="server" Text="979-0-1234-5678"></asp:TextBox>
643                 </td>
644             </tr>
645             <tr>
646                 <td>
647                     Supplement :
648                 </td>
649                 <td>
650                     <asp:TextBox ID="txtIsmnSup5Value" runat="server" Text="12345"></asp:TextBox>
651                 </td>
```



```
652         </tr>
653         <tr>
654             <td>
655             </td>
656             <td style="padding-left: 120px;">
657                 <asp:Button ID="btnIsmnSup5" runat="server" Text="Update" OnClick="btnIsmnSup5_Click" />
658             </td>
659         </tr>
660     </table>
661 </td>
662 <td style="width: 193px">
663     <ccl:LinearBarcode ID="dynamicBarcodeIsmnSup5" runat="server" LinearBarcodeType="IsmnSupplement5"
664         Dpi="96" BarcodeMargin="20,20,20,20" Text="979-0-1234-5678" SupplementValue="12345" />
665 </td>
666 </tr>
667 <tr>
668     <td>
669         ISSN Barcode
670     </td>
671     <td>
672         <asp:TextBox ID="txtIssn" runat="server" Text="977-1234-56700"></asp:TextBox>
673         <asp:Button ID="btnIssn" runat="server" Text="Update" OnClick="btnIssn_Click" />
674     </td>
675     <td style="width: 193px">
676         <ccl:LinearBarcode ID="dynamicBarcodeIssn" runat="server" LinearBarcodeType="Issn"
677             Dpi="96" BarcodeMargin="20,20,20,20" Text="977-1234-56700" />
678     </td>
679 </tr>
680 <tr>
681     <td>
682         ISSN, 2 Digit Supplement Barcode
683     </td>
684     <td>
685         <table class="propTable">
686             <tr>
687                 <td>
688                     Value :
689                 </td>
690                 <td>
691                     <asp:TextBox ID="txtIssn2Value" runat="server" Text="977-1234-56700"></asp:TextBox>
692                 </td>
```

```
693         </tr>
694         <tr>
695             <td>
696                 Supplement :
697             </td>
698             <td>
699                 <asp:TextBox ID="txtIssnSup2Value" runat="server" Text="12"></asp:TextBox>
700             </td>
701         </tr>
702         <tr>
703             <td>
704             </td>
705             <td style="padding-left: 120px;">
706                 <asp:Button ID="btnIssnSup2" runat="server" Text="Update" OnClick="btnIssnSup2_Click" />
707             </td>
708         </tr>
709     </table>
710 </td>
711 <td style="width: 193px">
712     <ccl:LinearBarcode ID="dynamicBarcodeIssnSup2" runat="server" LinearBarcodeType="IssnSupplement2"
713         Dpi="96" BarcodeMargin="20,20,20,20" Text="977-1234-56700" SupplementValue="12" />
714 </td>
715 </tr>
716 <tr>
717     <td>
718         ISSN, 5 Digit Supplement Barcode
719     </td>
720     <td>
721         <table class="propTable">
722             <tr>
723                 <td>
724                     Value :
725                 </td>
726                 <td>
727                     <asp:TextBox ID="txtIssn5Value" runat="server" Text="977-1234-56700"></asp:TextBox>
728                 </td>
729             </tr>
730             <tr>
731                 <td>
732                     Supplement :
733                 </td>
```

```
734         <td>
735             <asp:TextBox ID="txtIssnSup5Value" runat="server" Text="12345"></asp:TextBox>
736         </td>
737     </tr>
738     <tr>
739         <td>
740         </td>
741         <td style="padding-left: 120px;">
742             <asp:Button ID="btnIssnSup5" runat="server" Text="Update" OnClick="btnIssnSup5_Click" />
743         </td>
744     </tr>
745 </table>
746 </td>
747 <td style="width: 193px">
748     <ccl:LinearBarcode ID="dynamicBarcodeIssnSup5" runat="server" LinearBarcodeType="IssnSupplement5"
749         Dpi="96" BarcodeMargin="20,20,20,20" Text="977-1234-56700" SupplementValue="12345" />
750 </td>
751 </tr>
752 <tr class="head">
753     <td colspan="3" style="height: 15px;">
754         Other Linear Barcodes
755     </td>
756 </tr>
757 <tr>
758     <td style="height: 39px">
759         Codabar Barcode
760     </td>
761     <td style="height: 39px">
762         <asp:TextBox ID="txtCodabar" runat="server" Text="A1234D"></asp:TextBox>
763         <asp:Button ID="btnUpdateCodabar" runat="server" Text="Update" OnClick="btnUpdateCodabar_Click" />
764     </td>
765     <td style="width: 193px; height: 39px">
766         <ccl:LinearBarcode ID="dynamicBarcodeCodabar" runat="server" SymbolHeight="80" LinearBarcodeType="Codabar"
767             Dpi="96" BarcodeMargin="20,20,20,20" Text="A1234D" />
768     </td>
769 </tr>
770 <tr>
771     <td>
772         Code 11 Barcode
773     </td>
774     <td>
```

```
775         <asp:TextBox ID="txtCode11" runat="server" Text="1234567"></asp:TextBox>
776         <asp:Button ID="btnUpdateCode11" runat="server" Text="Update" OnClick="btnUpdateCode11_Click" />
777     </td>
778     <td style="width: 193px">
779         <ccl:LinearBarcode ID="dynamicBarcodeCode11" runat="server" SymbolHeight="80" LinearBarcodeType="Code11"
780             Dpi="96" BarcodeMargin="20,20,20,20" Text="1234567" />
781     </td>
782 </tr>
783 <tr>
784     <td>
785         Code 128 Barcode
786     </td>
787     <td>
788         <asp:TextBox ID="txtCode128" runat="server" Text="Hello World"></asp:TextBox>
789         <asp:Button ID="btnUpdateCode128" runat="server" Text="Update" OnClick="btnUpdateCode128_Click" />
790     </td>
791     <td style="width: 193px">
792         <ccl:LinearBarcode ID="dynamicBarcodeCode128" runat="server" SymbolHeight="80" LinearBarcodeType="Code128"
793             Dpi="96" BarcodeMargin="20,20,20,20" Text="Hello World" />
794     </td>
795 </tr>
796 <tr>
797     <td>
798         Code 25 Barcode
799     </td>
800     <td>
801         <asp:TextBox ID="txtCode25" runat="server" Text="123456789"></asp:TextBox>
802         <asp:Button ID="btnUpdateCode25" runat="server" Text="Update" OnClick="btnUpdateCode25_Click" />
803     </td>
804     <td style="width: 193px">
805         <ccl:LinearBarcode ID="dynamicBarcodeCode25" runat="server" SymbolHeight="80" LinearBarcodeType="Code25"
806             Dpi="96" BarcodeMargin="20,20,20,20" Text="123456789" />
807     </td>
808 </tr>
809 <tr>
810     <td>
811         Code 39 Barcode
812     </td>
813     <td>
814         <asp:TextBox ID="txtCode39" runat="server" Text="123456789"></asp:TextBox>
815         <asp:Button ID="btnUpdateCode39" runat="server" Text="Update" OnClick="btnUpdateCode39_Click" />
```

```
816         </td>
817         <td style="width: 193px">
818             <ccl:LinearBarcode ID="dynamicBarcodeCode39" runat="server" SymbolHeight="80" LinearBarcodeType="Code39"
819                 Dpi="96" BarcodeMargin="20,20,20,20" Text="123456789" />
820         </td>
821     </tr>
822     <tr>
823         <td>
824             Code 93 Barcode
825         </td>
826         <td>
827             <asp:TextBox ID="txtCode93" runat="server" Text="123456789"></asp:TextBox>
828             <asp:Button ID="btnUpdateCode93" runat="server" Text="Update" OnClick="btnUpdateCode93_Click" />
829         </td>
830         <td style="width: 193px">
831             <ccl:LinearBarcode ID="dynamicBarcodeCode93" runat="server" SymbolHeight="80" LinearBarcodeType="Code93"
832                 Dpi="96" BarcodeMargin="20,20,20,20" Text="123456789" />
833         </td>
834     </tr>
835     <tr>
836         <td>
837             EAN 14 Barcode
838         </td>
839         <td>
840             <asp:TextBox ID="txtEan14" runat="server" Text="1234567890"></asp:TextBox>
841             <asp:Button ID="btnEan14" runat="server" Text="Update" OnClick="btnEan14_Click" />
842         </td>
843         <td style="width: 193px">
844             <ccl:LinearBarcode ID="dynamicBarcodeEan14" runat="server" SymbolHeight="80" LinearBarcodeType="Ean14"
845                 Dpi="96" BarcodeMargin="20,20,20,20" Text="1234567890" />
846         </td>
847     </tr>
848     <tr>
849         <td>
850             GS1 DataBar
851         </td>
852         <td>
853             <table class="propTable">
854                 <tr>
855                     <td class="style1">
856                         Value :
```

```
857         </td>
858         <td>
859             <asp:TextBox ID="txtGS1DataBar" runat="server" Text="(01)1234567890123"></asp:TextBox>
860         </td>
861     </tr>
862     <tr>
863         <td class="style1">
864             GS1 Type :
865         </td>
866         <td>
867             <asp:DropDownList ID="ddlGS1Type" runat="server">
868                 <asp:ListItem Selected="True" Text="Omnidirectional" Value="Omnidirectional"></asp:ListItem>
869                 <asp:ListItem Text="Limited" Value="Limited"></asp:ListItem>
870                 <asp:ListItem Text="Expanded" Value="Expanded"></asp:ListItem>
871             </asp:DropDownList>
872         </td>
873     </tr>
874     <tr>
875         <td class="style1">
876         </td>
877         <td style="padding-left: 120px;">
878             <asp:Button ID="btnUpdateGS1" runat="server" Text="Update" OnClick="btnUpdateGS1_Click" />
879         </td>
880     </tr>
881 </table>
882 </td>
883 <td style="width: 193px">
884     <ccl:LinearBarcode ID="dynamicBarcodeGS1" runat="server" LinearBarcodeType="GS1DataBar"
885         GS1DataBarType="Omnidirectional" SymbolHeight="80" Dpi="96" BarcodeMargin="20,20,20,20"
886         Text="(01)1234567890123" />
887 </td>
888 </tr>
889 <tr>
890     <td>
891         IATA 25 Barcode
892     </td>
893     <td>
894         <asp:TextBox ID="txtIata25" runat="server" Text="1234567890"></asp:TextBox>
895         <asp:Button ID="btnIata25" runat="server" Text="Update" OnClick="btnIata25_Click" />
896     </td>
897     <td style="width: 193px">
```

```
898         <ccl:LinearBarcode ID="dynamicBarcodeIata25" runat="server" SymbolHeight="80" LinearBarcodeType="Iata25"
899             Dpi="96" BarcodeMargin="20,20,20,20" Text="1234567890" />
900     </td>
901 </tr>
902 <tr>
903     <td>
904         Interleaved 25 Barcode
905     </td>
906     <td>
907         <asp:TextBox ID="txtInterleaved25" runat="server" Text="1234567890"></asp:TextBox>
908         <asp:Button ID="btnUpdateInterleaved25" runat="server" Text="Update" OnClick="btnUpdateInterleaved25_Click"
/>
909     </td>
910     <td style="width: 193px">
911         <ccl:LinearBarcode ID="dynamicBarcodeInterleaved" runat="server" SymbolHeight="80"
912             LinearBarcodeType="Interleaved25" Dpi="96" BarcodeMargin="20,20,20,20" Text="1234567890" />
913     </td>
914 </tr>
915 <tr>
916     <td>
917         ITF 14 Barcode
918     </td>
919     <td>
920         <asp:TextBox ID="txtItf14" runat="server" Text="1234567890"></asp:TextBox>
921         <asp:Button ID="btnItf14" runat="server" Text="Update" OnClick="btnItf14_Click" />
922     </td>
923     <td style="width: 193px">
924         <ccl:LinearBarcode ID="dynamicBarcodeItf14" runat="server" LinearBarcodeType="Itf14"
925             SymbolHeight="80" Dpi="96" BarcodeMargin="20,20,20,20" Text="1234567890" />
926     </td>
927 </tr>
928 <tr>
929     <td>
930         MSI Barcode
931     </td>
932     <td>
933         <asp:TextBox ID="txtMsiBarcode" runat="server" Text="1234567890"></asp:TextBox>
934         <asp:Button ID="btnUpdateMsi" runat="server" Text="Update" OnClick="btnUpdateMsi_Click" />
935     </td>
936     <td style="width: 193px">
937         <ccl:LinearBarcode ID="dynamicBarcodeMsi" runat="server" SymbolHeight="80" LinearBarcodeType="MsiBarcode"
```

```
938         Dpi="96" BarcodeMargin="20,20,20,20" Text="1234567890" />
939     </td>
940 </tr>
941 <tr class="head">
942     <td colspan="3" style="height: 15px;">
943         2D and Stacked GS1 Databar Barcodes
944     </td>
945 </tr>
946 <tr>
947     <td>
948         Stacked GS1 DataBar
949     </td>
950     <td>
951         <table class="propTable">
952             <tr>
953                 <td class="style1">
954                     Value :
955                 </td>
956                 <td>
957                     <asp:TextBox ID="txtStackedGs1" runat="server" Text="(01)1234567890123"></asp:TextBox>
958                 </td>
959             </tr>
960             <tr>
961                 <td class="style1">
962                     Stacked GS1 Type :
963                 </td>
964                 <td>
965                     <asp:DropDownList ID="ddlStackedGS1" runat="server">
966                         <asp:ListItem Selected="True" Text="Stacked" Value="Stacked"></asp:ListItem>
967                         <asp:ListItem Text="Stacked Omnidirectional" Value="StackedOmnidirectional"></asp:ListItem>
968                         <asp:ListItem Text="Expanded Stacked" Value="ExpandedStacked"></asp:ListItem>
969                     </asp:DropDownList>
970                 </td>
971             </tr>
972             <tr>
973                 <td class="style1">
974                 </td>
975                 <td style="padding-left: 120px;">
976                     <asp:Button ID="btnUpdateStackedGS1" runat="server" Text="Update"
977                     OnClick="btnUpdateStackedGS1_Click" />
978                 </td>
```



```
978         </tr>
979     </table>
980 </td>
981 <td style="width: 193px">
982     <ccl:StackedGS1DataBar ID="dynamicBarcodeStackedGS1" runat="server" StackedGS1DataBarType="Stacked"
983         RowHeight="50" Dpi="96" BarcodeMargin="20,20,20,20" />
984 </td>
985 </tr>
986 <tr>
987     <td>
988         Aztec Barcode
989     </td>
990     <td>
991         <asp:TextBox ID="txtAztec" runat="server" Text="Hello World"></asp:TextBox>
992         <asp:Button ID="btnAztec" runat="server" Text="Update" OnClick="btnAztec_Click" />
993     </td>
994     <td style="width: 193px">
995         <ccl:Aztec ID="dynamicBarcodeAztec" runat="server" Dpi="96" BarcodeMargin="20,20,20,20"
996             Text="Hello World" />
997     </td>
998 </tr>
999 <tr>
1000     <td>
1001         Data Matrix Barcode
1002     </td>
1003     <td>
1004         <asp:TextBox ID="txtDataMatrix" runat="server" Text="Data Matrix barcode for .NET can handle
overflow."></asp:TextBox>
1005         <asp:Button ID="btnUpdateDataMatrix" runat="server" Text="Update" OnClick="btnUpdateDataMatrix_Click" />
1006     </td>
1007     <td style="width: 193px">
1008         <ccl:DataMatrix ID="dynamicBarcodeDataMatrix" runat="server" Dpi="96" BarcodeMargin="20,20,20,20"
1009             Text="Data Matrix barcode for .NET can handle overflow." />
1010     </td>
1011 </tr>
1012 <tr>
1013     <td>
1014         PDF417 Barcode
1015     </td>
1016     <td>
1017         <asp:TextBox ID="txtPdf417" runat="server" Text="Hello World"></asp:TextBox>
```

```
1018         <asp:Button ID="btnUpdatePdf417" runat="server" Text="Update" OnClick="btnUpdatePdf417_Click" />
1019     </td>
1020     <td style="width: 193px">
1021         <ccl:Pdf417 ID="dynamicBarcodePdf417" runat="server" Dpi="96" BarcodeMargin="20,20,20,20"
1022             Text="Hello World" />
1023     </td>
1024 </tr>
1025 <tr>
1026     <td>
1027         QR Code
1028     </td>
1029     <td>
1030         <asp:TextBox ID="txtQRCode" runat="server" Text="Hello World"></asp:TextBox>
1031         <asp:Button ID="btnUpdateQRCode" runat="server" Text="Update" OnClick="btnUpdateQRCode_Click" />
1032     </td>
1033     <td style="width: 193px">
1034         <ccl:QRCode ID="dynamicBarcodeQRCode" runat="server" Dpi="96" BarcodeMargin="20,20,20,20"
1035             Text="Hello World" />
1036     </td>
1037 </tr>
1038 </table>
1039 </form>
1040 </div>
1041 </body>
1042 </html>
```

```
1
2 Partial Class AllBarcodes_Basic
3     Inherits System.Web.UI.Page
4
5
6     Protected Sub Page_Load(sender As Object, e As System.EventArgs) Handles Me.Load
7
8     End Sub
9
10    Protected Sub btnUpdateCode128_Click(sender As Object, e As System.EventArgs) Handles btnUpdateCode128.Click
11        dynamicBarcodeCode128.Text = txtCode128.Text
12    End Sub
13
14    Protected Sub btnUpdateCodabar_Click(sender As Object, e As System.EventArgs) Handles btnUpdateCodabar.Click
15        dynamicBarcodeCodabar.Text = txtCodabar.Text
16    End Sub
17
18    Protected Sub btnUpdateCode25_Click(sender As Object, e As System.EventArgs) Handles btnUpdateCode25.Click
19        dynamicBarcodeCode25.Text = txtCode25.Text
20    End Sub
21
22    Protected Sub btnUpdateCode39_Click(sender As Object, e As System.EventArgs) Handles btnUpdateCode39.Click
23        dynamicBarcodeCode39.Text = txtCode39.Text
24    End Sub
25
26    Protected Sub btnUpdateDataMatrix_Click(sender As Object, e As System.EventArgs) Handles btnUpdateDataMatrix.Click
27        dynamicBarcodeDataMatrix.Text = txtDataMatrix.Text
28    End Sub
29
30    Protected Sub btnUpdateQRCode_Click(sender As Object, e As System.EventArgs) Handles btnUpdateQRCode.Click
31        dynamicBarcodeQRCode.Text = txtQRCode.Text
32    End Sub
33
34    Protected Sub btnUpdatePdf417_Click(sender As Object, e As System.EventArgs) Handles btnUpdatePdf417.Click
35        dynamicBarcodePdf417.Text = txtPdf417.Text
36    End Sub
37
38    Protected Sub btnUpdateIntelligentMail_Click(sender As Object, e As System.EventArgs) Handles btnUpdateIntelligentMail.Click
39        dynamicBarcodeIntelligentMail.Text = txtIntelligentMail.Text
40    End Sub
41
```

```
42 Protected Sub btnUpdatePostnet_Click(sender As Object, e As System.EventArgs) Handles btnUpdatePostnet.Click
43     dynamicBarcodePostnet.Text = txtPostnet.Text
44 End Sub
45
46 Protected Sub btnUpdateRm4scc_Click(sender As Object, e As System.EventArgs) Handles btnUpdateRm4scc.Click
47     dynamicBarcodeRm4scc.Text = txtRm4scc.Text
48 End Sub
49
50 Protected Sub btnUpdateInterleaved25_Click(sender As Object, e As System.EventArgs) Handles btnUpdateInterleaved25.Click
51     dynamicBarcodeInterleaved.Text = txtInterleaved25.Text
52 End Sub
53
54 Protected Sub btnUpdateMsi_Click(sender As Object, e As System.EventArgs) Handles btnUpdateMsi.Click
55     dynamicBarcodeMsi.Text = txtMsiBarcode.Text
56 End Sub
57
58 Protected Sub btnUpdateEan8_Click(sender As Object, e As System.EventArgs) Handles btnUpdateEan8.Click
59     dynamicBarcodeEan8.Text = txtEan8.Text
60 End Sub
61
62 Protected Sub btnUpdateEan82_Click(sender As Object, e As System.EventArgs) Handles btnUpdateEan82.Click
63     dynamicBarcodeEan82.Text = txtEan8Sup2.Text
64     dynamicBarcodeEan82.SupplementValue = txtEan8Sup2Sup.Text
65 End Sub
66
67 Protected Sub btnUpdateEan85_Click(sender As Object, e As System.EventArgs) Handles btnUpdateEan85.Click
68     dynamicBarcodeEan85.Text = txtEan8Sup5.Text
69     dynamicBarcodeEan85.SupplementValue = txtEan8Sup5Sup.Text
70 End Sub
71
72 Protected Sub btnUpdateEan13_Click(sender As Object, e As System.EventArgs) Handles btnUpdateEan13.Click
73     dynamicBarcodeEan13.Text = txtEan13.Text
74 End Sub
75
76 Protected Sub btnUpdateEan132_Click(sender As Object, e As System.EventArgs) Handles btnUpdateEan132.Click
77     dynamicBarcodeEan132.Text = txtEan13Sup2.Text
78     dynamicBarcodeEan132.SupplementValue = txtEan13Sup2Sup.Text
79 End Sub
80
81 Protected Sub btnUpdateEan135_Click(sender As Object, e As System.EventArgs) Handles btnUpdateEan135.Click
82     dynamicBarcodeEan135.Text = txtEan13Sup5.Text
```

```
83     dynamicBarcodeEan135.SupplementValue = txtEan13Sup5Sup.Text
84 End Sub
85
86 Protected Sub btnUpdateUpcA_Click(sender As Object, e As System.EventArgs) Handles btnUpdateUpcA.Click
87     dynamicBarcodeUpcA.Text = txtUpcA.Text
88 End Sub
89
90 Protected Sub btnUpcA2_Click(sender As Object, e As System.EventArgs) Handles btnUpcA2.Click
91     dynamicBarcodeUpcA2.Text = txtUpcASup2.Text
92     dynamicBarcodeUpcA2.SupplementValue = txtUpcASup2Sup.Text
93 End Sub
94
95 Protected Sub btnUpcA5_Click(sender As Object, e As System.EventArgs) Handles btnUpcA5.Click
96     dynamicBarcodeUpcA5.Text = txtUpcASup5.Text
97     dynamicBarcodeUpcA5.SupplementValue = txtUpcASup5Sup.Text
98 End Sub
99
100 Protected Sub btnUpdateUpcE_Click(sender As Object, e As System.EventArgs) Handles btnUpdateUpcE.Click
101     dynamicBarcodeUpcE.Text = txtUpcE.Text
102 End Sub
103
104 Protected Sub btnUpdateUpcE2_Click(sender As Object, e As System.EventArgs) Handles btnUpdateUpcE2.Click
105     dynamicBarcodeUpcE2.Text = txtUpcESup2.Text
106     dynamicBarcodeUpcE2.SupplementValue = txtUpcESup2Sup.Text
107 End Sub
108
109 Protected Sub btnUpdateUpcE5_Click(sender As Object, e As System.EventArgs) Handles btnUpdateUpcE5.Click
110     dynamicBarcodeUpcE5.Text = txtUpcESup5.Text
111     dynamicBarcodeUpcE5.SupplementValue = txtUpcESup5Sup.Text
112 End Sub
113
114 Protected Sub btnUpdateCode11_Click(sender As Object, e As System.EventArgs) Handles btnUpdateCode11.Click
115     dynamicBarcodeCode11.Text = txtCode11.Text
116 End Sub
117
118 Protected Sub btnUpdateGS1_Click(sender As Object, e As System.EventArgs) Handles btnUpdateGS1.Click
119     Select Case (ddlGS1Type.SelectedValue)
120         Case "Omnidirectional"
121             dynamicBarcodeGS1.GS1DataBarType = ceTe.DynamicBarcode.Creator.GS1DataBarType.Omnidirectional
122         Case "Limited"
123             dynamicBarcodeGS1.GS1DataBarType = ceTe.DynamicBarcode.Creator.GS1DataBarType.Limited
```

```
124         Case "Expanded"
125             dynamicBarcodeGS1.GS1DataBarType = ceTe.DynamicBarcode.Creator.GS1DataBarType.Expanded
126         End Select
127         dynamicBarcodeGS1.Text = txtGS1DataBar.Text
128     End Sub
129
130     Protected Sub btnUpdateStackedGS1_Click(sender As Object, e As System.EventArgs) Handles btnUpdateStackedGS1.Click
131         Select Case (ddlStackedGS1.SelectedValue)
132             Case "Stacked"
133                 dynamicBarcodeStackedGS1.StackedGS1DataBarType = ceTe.DynamicBarcode.Creator.StackedGS1DataBarType.Stacked
134             Case "StackedOmnidirectional"
135                 dynamicBarcodeStackedGS1.StackedGS1DataBarType =
136 ceTe.DynamicBarcode.Creator.StackedGS1DataBarType.StackedOmnidirectional
137             Case "ExpandedStacked"
138                 dynamicBarcodeStackedGS1.StackedGS1DataBarType =
139 ceTe.DynamicBarcode.Creator.StackedGS1DataBarType.ExpandedStacked
140             End Select
141             dynamicBarcodeStackedGS1.Text = txtStackedGs1.Text
142         End Sub
143
144     Protected Sub btnUpdateAustraliaPost_Click(sender As Object, e As System.EventArgs) Handles btnUpdateAustraliaPost.Click
145         dynamicBarcodeAustraliaPost.Text = txtAustraliaPost.Text
146     End Sub
147
148     Protected Sub btnUpdateCode93_Click(sender As Object, e As System.EventArgs) Handles btnUpdateCode93.Click
149         dynamicBarcodeCode93.Text = txtCode93.Text
150     End Sub
151
152     Protected Sub btnDeutschePostIdentcode_Click(sender As Object, e As System.EventArgs) Handles btnDeutschePostIdentcode.Click
153         dynamicBarcodeDeutschePostIdentcode.Text = txtDeutschePostIdentcode.Text
154     End Sub
155
156     Protected Sub btnDeutschePostLeitcode_Click(sender As Object, e As System.EventArgs) Handles btnDeutschePostLeitcode.Click
157         dynamicBarcodeDeutschePostLeitcode.Text = txtDeutschePostLeitcode.Text
158     End Sub
159
160     Protected Sub btnEan14_Click(sender As Object, e As System.EventArgs) Handles btnEan14.Click
161         dynamicBarcodeEan14.Text = txtEan14.Text
162     End Sub
163
164     Protected Sub btnIata25_Click(sender As Object, e As System.EventArgs) Handles btnIata25.Click
```

```
163         dynamicBarcodeIata25.Text = txtIata25.Text
164     End Sub
165
166     Protected Sub btnIsbn_Click(sender As Object, e As System.EventArgs) Handles btnIsbn.Click
167         dynamicBarcodeIsbn.Text = txtIsbn.Text
168     End Sub
169
170     Protected Sub btnIsbnSup2_Click(sender As Object, e As System.EventArgs) Handles btnIsbnSup2.Click
171         dynamicBarcodeIsbnSup2.Text = txtIsbn2Value.Text
172         dynamicBarcodeIsbnSup2.SupplementValue = txtIsbnSup2Value.Text
173     End Sub
174
175     Protected Sub btnIsbnSup5_Click(sender As Object, e As System.EventArgs) Handles btnIsbnSup5.Click
176         dynamicBarcodeIsbnSup5.Text = txtIsbn5Value.Text
177         dynamicBarcodeIsbnSup5.SupplementValue = txtIsbnSup5Value.Text
178     End Sub
179
180     Protected Sub btnIsmn_Click(sender As Object, e As System.EventArgs) Handles btnIsmn.Click
181         dynamicBarcodeIsmn.Text = txtIsmn.Text
182     End Sub
183
184     Protected Sub btnIsmnSup2_Click(sender As Object, e As System.EventArgs) Handles btnIsmnSup2.Click
185         dynamicBarcodeIsmnSup2.Text = txtIsmn2Value.Text
186         dynamicBarcodeIsmnSup2.SupplementValue = txtIsmnSup2Value.Text
187     End Sub
188
189     Protected Sub btnIsmnSup5_Click(sender As Object, e As System.EventArgs) Handles btnIsmnSup5.Click
190         dynamicBarcodeIsmnSup5.Text = txtIsmn5Value.Text
191         dynamicBarcodeIsmnSup5.SupplementValue = txtIsmnSup5Value.Text
192     End Sub
193
194     Protected Sub btnIssn_Click(sender As Object, e As System.EventArgs) Handles btnIssn.Click
195         dynamicBarcodeIssn.Text = txtIssn.Text
196     End Sub
197
198     Protected Sub btnIssnSup2_Click(sender As Object, e As System.EventArgs) Handles btnIssnSup2.Click
199         dynamicBarcodeIssnSup2.Text = txtIssn2Value.Text
200         dynamicBarcodeIssnSup2.SupplementValue = txtIssnSup2Value.Text
201     End Sub
202
203     Protected Sub btnIssnSup5_Click(sender As Object, e As System.EventArgs) Handles btnIssnSup5.Click
```

```
204     dynamicBarcodeIssnSup5.Text = txtIssn5Value.Text
205     dynamicBarcodeIssnSup5.SupplementValue = txtIssnSup5Value.Text
206 End Sub
207
208 Protected Sub btnItf14_Click(sender As Object, e As System.EventArgs) Handles btnItf14.Click
209     dynamicBarcodeItf14.Text = txtItf14.Text
210 End Sub
211
212 Protected Sub btnKix_Click(sender As Object, e As System.EventArgs) Handles btnKix.Click
213     dynamicBarcodeKix.Text = txtKix.Text
214 End Sub
215
216 Protected Sub btnSingaporePost_Click(sender As Object, e As System.EventArgs) Handles btnSingaporePost.Click
217     dynamicBarcodeSingaporePost.Text = txtSingaporePost.Text
218 End Sub
219
220 Protected Sub btnAztec_Click(sender As Object, e As System.EventArgs) Handles btnAztec.Click
221     dynamicBarcodeAztec.Text = txtAztec.Text
222 End Sub
223 End Class
```